
AIRCREM AUTOMATED ESCAPE SYSTEMS (ARES) DATA AMALYSIS PROGRAM SYMPOSIUM H. (U) NAVAL SAFETY CENTER NORFOLK VA 1981 AD-A171 658 1/5 F/G 1/3 UNCLASSIFIED NL



NTIS GRA&I
DISTRIBUTION STATEMENT A Approved for public released Distribution Unlimited DISTRIBUTION STATEMENT ACCESSION FOR NTIS GRA&I DTIC TAB UNANNOUNCED JUSTIFICATION BY Description STATEMENT DISTRIBUTION STATEMENT SEP 1 6 1986 DISTRIBUTION STATEMENT DISTRIBUTION STATEMENT SEP 1 6 1986 DISTRIBUTION STATEMENT AVAILABILITY CODES DISTRIBUTION STATEMENT A Approved for public released Distribution Unlimited
DISTRIBUTION STATEMENT ACCESSION FOR NTIS GRA&I DTIC TAB UNANNOUNCED JUSTIFICATION BY Operation 50 DISTRIBUTION / AVAILABILITY CODES DIST AVAILABILITY CODES DIST AVAILABILITY AVAILAND/OR SPECIAL
ACCESSION FOR NTIS GRA&I DTIC TAB UNANNOUNCED JUSTIFICATION BY Device 50 DISTRIBUTION / AVAILABILITY CODES DIST AVAIL AND/OR SPECIAL
NTIS GRA&I DTIC TAB UNANNOUNCED JUSTIFICATION BY Device SO DISTIBUTION AVAILABILITY CODES DIST AVAILAND/OR SPECIAL
DISTRIBUTION STAMP DATE RETURNED
86 9 15 180
DATE RECEIVED IN DTIC REGISTERED OR CERTIFIED NO.
PHOTOGRAPH THIS SHEET AND RETURN TO DTIC-DDAC DTIC FORM 70A DOCUMENT PROCESSING SHEET PREVIOUS EDITION MAY BE USED UNT STOCK IS EXHAUSTED.

AIRCREW AUTOMATED ESCAPE SYSTEMS (AAES)

DATA ANALYSIS PROGRAM SYMPOSIUM

VOL III

(COPIES OF VISUAL PRESENTATION AIDS & ADDITIONAL INFORMATION)

Presented by:

NAVAL AIR SYSTEMS COMMAND

NAVAL SAFETY CENTER

NAVAL WEAPONS ENGINEERING SUPPORT ACTIVITY

APPROVED FOR PUBLIC RELEASE: DISTRIBUTION UNLIMITED

AIRCREW AUTOMATED ESCAPE SYSTEMS (AAES)

DATA ANALYSIS PROGRAM SYMPOSIUM

VOL III

(COPIES OF VISUAL PRESENTATION AIDS & ADDITIONAL INFORMATION)

Presented by:

NAVAL AIR SYSTEMS COMMAND

NAVAL SAFETY CENTER

NAVAL WEAPONS ENGINEERING SUPPORT ACTIVITY



DEPARTMENT OF THE NAVY

NAVA: GAFETY CENTER
NAVAL AIR STATION
NORFOLK, VIRGINIA 23511

122:gc 3750 Ser 4223 4 September 1981

From: Commander, Naval Safety Center

To: Distribution

Subj: Automated Airborne Escape Systems (AAES) Symposium

Encl: (1) Agenda for subject symposium

- 1. At the request of the Chief of Naval Operations and with the cooperation and support of Commander, Naval Air Systems Command, Commander, Naval Safety Center, will co-host a two-day symposium to review selected topics associated with Automated Airborne Escape Systems (AAES).
- 2. The symposium will be held at the Naval Air Station, Norfolk, Virginia, on 6, 7 and 8 October 1981. The symposium's format will consist of informative presentations, 30 40 minutes in length, followed by open question—and—answer periods. Representatives of the Naval Air Systems Command (Aircrew Systems Division), Naval Weapons Engineering Support Activity (Systems Analysis), and the Naval Safety Center (Aviation Directorate) will present results of selected studies conducted for the purpose of evaluating or monitoring AAES usage, performance and/or maintenance trends. Source data has been derived from historical mishap data files maintained by the Naval Safety Center.
- 3. The identification, assessment and effective resolution of problem areas related to the effective use, maintainability and operation of AAES has been and will continue to be a major objective of the Navy. Systematic analysis of long-term mishap data is one approach to identifying reliability and maintainability degradation trends, as well as potential system deficiencies. The utility of such analyses in escape system design, acquisition and modification processes is considered to have significant value to both industry and DOD organizations having a direct interest in AAES and their subsystems.
- 4. The proposed agenda, enclosure (1), is provided for your interest and review. If your organization desires representation at the AAES symposium, please provide names, grade/rate (as appropriate), social security numbers, job title, and security clearance to this Command no later than 15 September 1981. Additional information on approved agenda, time schedule, conference location and travel directions will be forwarded. Due to space limitations, each organization/command will be limited to no more than three representatives.

5. Naval Safety Center points of contact are: CDR V. Voge (Code 14, Autovon 690-7341) and LCDR R. Moe (Code 122, Autovon 690-3494). COMNAVAIRSYSCOM/NAVWESA points of contact are: Mr. F. Guill/Mr. C. Stokes (Autovon 288-3621) or Commercial 202 433-3621).

J. C. STEELE

DISTRIBUTION:

QNO (2)

CHNAVMAT

COMNAVAIRSYSCOM (5)

NAVAIRDEVŒN (3)

NAVWPNCEN (3)

BUMED (3)

NAVPGSCOL

CNET

ONTR (3)

NAVAIRTESTCEN

NAVORDSTA (4)

NAMRL

NAVAEROSPAMEDINST

NAVBIODYNLAB

NAVAIREWORKFAC ALAMEDA CA

NAVAIREWORKFAC CHERRY PT NC NAVAIREWORKFAC JACKSONVILLE FL

MANIMONUAC DAGGOTTI

NAVAIREWORKFAC NORFOLK VA

NAVAIREWORKFAC NORTH ISLND CA

NAVAIREWORFAC PENSACOLA FL

COMNAVAIRLANT

COMNAVAIRPAC

CNAVRES

CNATRA

OG FMFLANT

OG FMFPAC

OPTEVFOR

NORTON AFB (4)

WRIGHT PATTERSON AFB (3)

BROOKS AFB

ANDREWS AFB

KELLY AFB

USAABAR FT RUCKER

USAAVOOM ST LOUIS

NASA LANGLEY

NASA HOUSTON

NASA CAPE KENNEDY

GRUMMAN BETHPAGE NY

BOEING VERTOL

LTV DALLAS TX

MCDONNELL DOUGLAS CORP ST LOUIS

MCDONNELL DOUGLAS CORP LONG BEACH

FAIRCHILD REPUBLIC CO

ROCKWELL INTERNATIONAL

DISTRIBUTION: CON'T

LOCKHEED INTERNATIONAL MARTIN-BAKER LTD, UK (2) NORTHROP CORP TELEDYNE-RYAN STENCEL AERO-ENGINEERING CORP PACIFIC SCIENTIFIC CO TALLEY INDUSTRIES BIOLTECHNOLOGY INC HAMENOID SYSTEMS DAYTON T. BROWN, INC EAST AND WEST INDUSTRIES, INC EXPLOSIVE TECHNOLOGY SPACE ORDNANCE SYSTEMS PERSONS SYSTEMS INTEGRATION ADVANCED LOGISTICS MANAGEMENT INC DR. RON HUSTON, UNIV. OF CINCINNATI DR. ALBERT KING, WAYNE STATE UNIV. UNIV. OF SOUTHERN CA NAVTRAEQUIPCEN UNIVERSAL PROPULSION CO LTCOL LAMGEMAR, SWEDISH EMBASSY INSTITUTE OF AVIATION MEDICINE, RN MINISTRY OF DEFENSE, UK NAVPRO BETHPAGE NY NAVPRO BURBANK CA NAVPRO DALLAS TX NAVPRO LONG BEACH CA NAVPRO COLUMBUS OH HAWKER SIDDELEY, UK AFPRO ST LOUIS MO AFPRO SEATTLE WA AFPRO FT WORTH TX AFPRO FARMINGDALE, NY **GENERAL DYNAMICS** APPLIED COMBUSTION TECHNOLOGY MANTECH INTERNATIONAL CORP

AGENDA DAY 1

0800-0850	Registration			
0900-0915	Opening Remarks - Welcome			
	RADM T. C. Steele			
0915-0945	Introduction of Host Reps			
	Area Orientation			
0945-1000	Break			
1000-1050	AAES Data System Program Introduction			
1100-1150	Review of AAES Use and Non-use			
1200-1330	Lunch Break			
1030-1420	Through vs Jettison Canopy Injuries			
1430-1520	Helmet Retention/Loss Factors			
	AGENDA DAY 2			
	·			
0900-0950	Flail/Tumbling Factors			
1000-1150	In-Service System Reliability			
1200-1330	Lunch Break			
1330-1420	Overwater Survivability			
1430-1520	Aircrew Size/Anthropometry			
1530-1620	Expected Impact of AAES Data System Usage			

To be used as necessary based on progress during days 1 and 2

AGENDA DAY 3

PRESENTATION TOPICS

Introduction to AAES Data System Program NAVAIR/NAVWESA
 Objectives

Interface NAVSAFECEN/NAVAIR

Present Status - Future Plans

Constraints

2. Review of historical use and non-use of AAES NAVSAFECEN/NAVAIR

Results: Survivability

Trends in Usage Rates

Non-survived Ejection Cause Factors

Usage Conditions

AAES non-use trends

Success Criteria

3. Through-canopy vs Jettisoned-canopy Injuries NAVAIR/NAVSAFECEN

Vertebral

Upper-lower limbs

Head/neck

4. Helmet Retention/Loss Factors NAVAIR/NAVSAFECEN

Vertebral Injury

Varying levels of consciousness

Head/Neck Injury

5. Ejection Flail-tumbling Factors NAVWESA/NAVAIR

As a function of airspeed

As a function of system design

As a function of Escape initiation method

- 6. In-service Reliability NAVWESA/NAVAIR
 Ejections attempted but not accomplished
 Other failure/malfunction modes
- 7. Ejection Survivability in Low Altitude Overwater Environment NAVSAFECEN/NAVAIR
 - . Land vs Water Survival
 - . Overwater Fatalities
 - . Parachute/RSSK Divestment and LPA Inflation Variables
- 8. Aircrew Restraint Factors NAVSAFECEN/NAVAIR
 - . Negative "G" Environment
 - . Research on "G" Restraint Systems
- 9. Expected Impact of AAES Data System Program NAVAIR/NAVWESA
 - . Short Range
 - . Long Range

PRO! SED ATTENDEES

U. S. NAVY; Representation from:

OPNAV - 05F, 506N CHNAVMAT **COMNAVAIRSYSCOM** NAVAIRDEVCEN NAVWPNCEN CHINA LAKE BUMED MONTEREY CNET ONR NAVAIRTESTCEN **NAVORDSTA** NAMPL PNCLA NAMI PNCLA NAVAL BIODYNAMICS LAB NAVAIREWORKFACS (6) TYCOM - Safety; Flight Surgeons; Physiologists

USAF; Representation from:

OPTEVFOR

NORTON AFB
WRIGHT PATTERSON AFB
BROOKS AFB
ANDREWS AFB
KELLEY AFB

ARMY; Representation from:

FORT RUCKER ST LOUIS

NASA

LANGLEY AFB
MANNED SPACE CENTER

CONTRACTORS

PRIME AIRFRAME

Grumman; Boeing; Vought; Douglas; McDonnell; Republic; Fairchild-Miller; Lockhead; Convair; Martin-Baker LTD, U.K.

OTHERS

Teldyne Ryan; Stencel Aero Engineering Corp.; Pacific Scientific; Talley; Biotechnology; Humanoid Systems; Dayton T. Brown; East-West Industries; Explosive Technology; Space Ordnance Systems; Person-System Integration; Advanced Logistics Management Inc.; University of Cincinati; Wayne State University; University of Southern California

FOREIGN GOVERNMENTS (having similar AAES)

CANADA GREAT BRITAIN FEDERAL REPUBLIC OF GERMANY DEPARTMENT OF THE NAVY
NAVAL AIR SYSTEMS COMMAND
WASHINGTON D.C. 20361

AIRTASK, WORK UNIT ASSIGNMENT NAVAIR FORM 3930.1 (REV 277) See NAVAIR 3900 8 or supersedurfor applicable details on completing this form.

UNCLASSIFIED		0 5 NOV 1980	PAGE 1 OF 3	_ =
Director, Naval Weapons Eng Support: Activity Systems Analysis Dept. (ES/ Washington Navy Yard, Wash Mr. Frederick C. Guill A	A_31) .D.C. 2037	A512-512C/184-4/1512-000-055 A5312B-04 NORMAL (1435) (14410-0) A1/80	AMEND NO	_
AV 222-7486		UNCLASSIFIED		_

Cancellation, References and/or Enclosures.

Cancellation: Work Unit A5312B-04 dated 13 Dec 1979 and subsequent amendments

under AIRTASK A512-512C/184/0512-000-055 amend. 1.


Encl: (1) NAVAIR Consolidated Priority List - Aircraft Systems Fleet Support

Projects 10 October 1980

(2) Schedule

3. Technical Instructions.

- a. Title. IDENTIFICATION AND REVIEW OF AIRCREW AUTOMATED ESCAPE SYSTEM (AAES), IN-SERVICE RELIABILITY AND MAINTAINABILITY PROBLEMS
- b. <u>Purpose</u>. To establish a systematic investigation of in-service AAES data, such as that contained in the 3-M System, Unsatisfactory Reports, Medical Officer Reports of Aircraft Accidents, and Naval Air Rework Facility Data Systems, to identify for potential corrective action the many daily low-grade problems which contribute to the general lowering of AAES in-service reliability and cause the general worsening of AAES in-service maintainability.
- c. <u>Background</u>. At present there exist special arrangements for investigating and correcting spectacular AAES in-service problems, particularly those which cause fatalities. This effort is intended for reviewing the pervasive non-spectacular low-grade AAES in-service reliability and/or a general degradation of AAES in-service maintainability. These problems, vastly overshadowed by the spectacular ones, nonetheless are important, and if left unmonitored and uncorrected, occasionally manifest themselves in fatalities, serious injuries and/or very great difficulties experienced by the ejectee, which under slightly different conditions could have caused serious injuries. Some problems also manifest themselves in increased



reviews sesues of this form are obsolete

^{1.} The XXXXXXXVORK UNIT ASSIGNMENT described below is assigned in accordance with the indicated effort level and schedule. Funding authorization for XXXXXXX will be provided in separate correspondence. If this XXXXXXXVORX UNIT ASSIGNMENT cannot be accomplished as assigned, advise the NAVAIR HQ cognizant code. No work beyond the planning phase will be accomplished unless the addressee has funds in hand or written assurance thereof.

W.U. A5312B-04 AIRTASK A512-512C/184-4/1512-000-055

maintenance efforts and costs and/or increased hazards to maintenance personnel. Since there at present is no systematic review of in-service AAES data, there is no valid method of identifying AAES in-service problems deserving management attention short of awaiting death, serious injury or major complaints. Thus NAVAIR is forced into a "squeaky wheel" reaction mode of operation versus the more desirable mode of allocating resources based on a continuous analysis of the total AAES in-service experience.

d. <u>Detailed Requirements/Cost Estimates</u>. \$90.0 K for FY-81 in support of applicable projects listed on enclosure (1) Priority List, to be obligated quarterly as follows: first quarter \$30.0 K, second quarter \$30.0 K, third quarter \$30.0 K. Program element - 78012N (0 & MN).

Continue establishment of a system for the systematic review of such sources of AAES in-service data as 3-M Systems, Unsatisfactory Reports, Medical Officer Reports of Aircraft Accidents, and Naval Air Rework Facility data systems, in a manner designed to identify and assess the significance of the many commonly occuring in-service problems affecting AAES in-service reliability and maintainability. The system outputs shall be structured to provide data of assistance to NAVAIR Headquarters in the management of the scarce AAES resources; e.g., problems experienced, frequency of occurrence, experience severity, potential severity, and range of activities and/or AAES experiencing the problems. Once established and documented the system(s) can be integrated into regular reporting systems to assure regular, early notification to NAVAIR Headquarters concerning in-service problems being experienced and should assist considerably in the identification of causes and development of remedial actions. In addition, perform specific analytical tasks of high priority as assigned.

- e. Detailed Program Plan. Not applicable.
- f. Field Activity Contact. Mr. G. Opresko, NAVWESA (ESA-31).
- g. <u>Headquarters Technical Support</u>. None.
- 4. Schedule. See Enclosure (2).
- 5. Reports and Documentation.
 - a. Reports.

٧.

- (1) Upon completion of each task, present data and findings in letter-type reports to NAVAIR Headquarters (AIR-531).
- (2) A semi-annual program review shall be held at NAVAIR in February and August with NAVAIR publishing a report of findings in March and September.

UNCLASSIFIED

W.U. A5312B-04 AIRTASK A512-512C/184-4/1512-000-055

- (3) NAVWESA shall report to the Commander, Naval Air Systems Command (AIR-512C) the man years and associated cost, cost of materials, travel and cost of contracts awarded by NAVWESA for this project. This report shall be submitted 1 May 1981 and 1 November 1981 for final status.
- b. Requirements for Future Planning Information. Prepare and submit to NAVAIRHQ (AIR-531) for approval, a letter-type project plan. The primary effort shall be for establishment of baseline data to aid in subsequent identification of trends and specific problems. Subsequent tasks shall be for extending previous analytical techniques and data sources investigating efforts to identify specific AAES in-service reliability and maintainability problems.
- 6. <u>Contractual Authority</u>. Contracts to perform all or portions of the Work Unit are hereby authorized within the funding indicated by the Work Unit cost estimate.
- 7. Source and Disposition of Equipment. Not applicable.
- 8. Aircraft Requirements. None.

STATE TO STATE OF THE PROPERTY OF STATE OF THE STATE OF T

- 9. Status of Applicable Funds. Funds for this Work Unit will be provided separately.
- 10. Security Classification. All prescribed work under this Work Unit is unclassified. In performing the prescribed work, access to information which is classified and/or to areas containing classified equipment may be required. Any reference to such classified material shall be in accordance with the applicable materials security classification. Particularly, reference to information concerning survivability/vulnerability shall be classified in accordance with OPNAVINST. C5513.2A, Encl. (63); OPNAVINST. S5513.8, Encl. (7).

Copy to: Addressee (3) NAVMATDATASYSGRU, Morgantown, W.Va. 26505 NAVAIRDEVCEN (CSD), Warminster NAVAIRTESTCEN (SY-70), PAXRIV NAVORDSTA (Code 5123), Indian Head - NAVORDSTA (Code 515), Indian Head NAVWPNCEN, China Lake (Code 64) NAVSAFECEN, Norfolk COMNAVAIRPAC, North Island **CGFMFLANT CGFMFPAC** NAVPLANTREPO, Bethpage NAVPLANTREPO, Dallas NAVPLANTREPO, Burbank NAVPLANTREPO, Long Beach AFPRO, St. Louis DCASMA (DCRA-GACB), Marietta

UNCLASSIFIED

LIMB PROTECTION PROBLEM

8

XX

Z.


15.0

5.55

÷

7.77

*



Andrew Control (September | September | September | September | September | September |

M


K

S


这一意

S. C.

NECCOSES PROPERTY (CARASES, PROPERTY BEDEADOR



The state of the s



<u>ت</u>


E


. 2


Š


对


\$












ACCRECATE TRANSPORT OFFICE FORESTON FRANCES (TOTAL TRANSPORT TESTERATE AND THE PERSON OF THE PERSON



-


į

• 1


.

3


Š



1.




S





[KS450007] P3544509[120724503]


프


Ĺ















A-4/ESCAPAC IF-3





Ę

N.


7


1







Š





× 5







E


.


1000







ì









I TO THE PROPERTY OF THE PROPE

1555555


記した。全


.


MANAGET (SECRETARY CONTRACTOR) INVESTIGATION


333

Total Control












Š






180 PM 180


0-600+ KTS



RESPECTATION RESPECTA DESCRIPTION


SOCIAL POPULACO PASSONNA (RECOLAGO ESCASON) ROSERON PROCESA







Seek Received Browses and

3



.





3

X

S. S.

X

A-7/ESCAPAC 1G-4




9002 | [23.53.53.25]]*

NOON DESCRIPTION OF PROJECT FRANCISCO BRESINESS. ENGERGES

3

2



**

\ .


S-3/ESCAPAC IE-1



excessed.

RECEIVED BUSINESS

F-9/MARTIN-BAKER MK A5



X

8

1.7

}

The second second

TITLE

PRESENTATION OF THE PROPERTY OF

Į.

Z.

13.55 ES3

東京 小京 公本 公主 マカ

OVER WATER DVER LAND OVER LAND OVER LAND **OVER WATER** OVER WATER OVER LAND **OVER WATER** OVER LAND OVER LAND OVER LAND OVER LAND DVER LAND OVER WATER OVER LAND OVER LAND THROUGH THE CANOPY THROUGH-THE JETTISONED CANOPY JETTISONED CANOPY JETT ISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY UNKNOWN METHOD
OF INITIATION LOWER EJECTION HANDLE INITIATED BY EXTERNAL FORCES æ INITIATED BY ANOTHER PERSON INITIATED BY THIS PERSON F-9/MARTIN-BAKER MK A7 JANUARY 1969 - DECEMBER 1979


personara processor perceptus paramena paramen propara persona personara personal

0.00 22.00.000 1250.000

7


E


7



3

X






Z

À

8

7



OVER WATER OVER WATER OVER WATER OVER LAND OVER WATER OVER WATER OVER LAND OVER WATER OVER WATER OVER WATER OVER WATER OVER WATER OVER WATER OVER LAND OVER WATER OVER LAND **X** 13 X 7 THROUGH THE CANOPY THROUGH-THE-CANOPY THROUGH-THE-CANOPY THROUGH-THE-CANOPY THROUGH-THE-CANOPY THROUGH-THE-CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY 73 13 0-600+ KTS UNKNOWN METHOD OF INITIATION LOWER EJECTION HANDLE INITIATED BY EXTERNAL FORCES 88 INITIATED BY ANOTHER PERSON INITIATED BY THIS PERSON F-8/MARTIN-BAKER MK F7 JANUARY 1969 - DECEMBER 1979 TOTAL EJECTIONS 88

MANAGERS STATES AND SECTION

Y


NO CONTRACTOR NO

<u>|</u>

Y ...

1


,




Z E

8


{



7



A-6/MARTIN-BAKER MK GRU5



3

Ý.


م م م

T.


K


1

企




1/2







V

77.







2

G

S

T.

E E


第7 シス


18 Sec. 188


X.

Ŝ


CAN SOCIOON WASHING








T.





8


E.

8 OVER WATER 8 OVER WATER OVER LAND | X 15 8 THROUGH-THE-THROUGH-THE-THROUGH THE CANOPY THROUGH-THE CANOPY THROUGH-THE. THROUGH-THE-CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY 20 15 UNKNOWN METHOD OF INITIATION LOWER EJECTION HANDLE INITIA/FED BY EXTERNAL FORCES 38 INITIATED BY ANOTHER PERSON INITIATED BY THIS PERSON A-6/MARTIN-BAKER MK GRU7 JANUARY 1969 - DECEMBER 1979 38 TOTAL EJECTIONS










DISTRIBUTION OF WINDBLAST, FLAIL AND TUMBLE ASSOCIATED PROBLEMS By type initiation and handle used 0-600+ KTS

EA-6B/MARTIN-BAKER MK GRU5




Manager (recessor) possessi


Į,

例の

100 ESS

100 NO 100 NO 100





8


1


223

3


13

OVER WATER DVER LAND OVER LAND 8 [-THROUGH-THE-CANOPY THROUGH-THE-THROUGH-THE-CANOPY THROUGH-THE CANOPY THROUGH-THE-CANOPY THROUGH-THE-JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY UNKNOWN METHOD OF INITIATION LOWER EJECTION HANDLE INITIATED BY EXTERNAL FORCES INITIATED BY ANOTHER PERSON EA-6B/MARTIN-BAKER MK GRUEA7 INITIATED BY THIS PERSON JANUARY 1969 - DECEMBER 1979 17 TOTAL EJECTIONS





7.0



×


S. S.


3

(第) (3)


ÿ

POSSESSE POSSESSON ROCKERS FORESONS







AIRCREN AUTOMATED ESCAPE SYSTEMS (ARES) DATA AMALYSIS PROGRAM SYMPOSIUM H. (U) NAVAL SAFETY CENTER NORFOLK VA 1981 AD-A171 658 2/5 UNCLASSIFIED F/G 1/3 ML.



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS 1963 A







: **:**

Ę


(i) 473

X E








大学 一学 一分から




Manager becaused bosoners










A AFTER B BEFORE D DURING









2

N

Ex.

.


.

•

OVER WATER OVER LAND OVER WATER OVER WATER OVER WATER OVER LAND OVER WATER DVER LAND OVER WATER DVER LAND OVER LAND DVER LAND DVER LAND OVER LAND OVER LAND OVER LAND OVER LAND S -THROUGH THE CANOPY THROUGH THE CANOPY THROUGH THE CANOPY THROUGH THE THROUGH THE THROUGH THE JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JE TTISONE D CANOPY JETTISONED CANOPY S 0-600+ KTS UNKNOWN METHOD OF INITIATION LOWER EJECTION HANDLE INITIATED BY EXTERNAL FORCES 9 INITIATED BY ANOTHER PERSON INIT ATED BY THIS PERSON JANUARY 1969 - DECEMBER 1979 T-1/ MARTIN-BAKER MK L5 9 TOTAL EJECTIONS

SOLD EXPOSES DESCRIBE SOUSES BEREES TREATER (BEREES) TREATER BY SOLD FOR THE SOUSE TREATER TREATER

•



JANUARY 1969 – DECEMBER 1979

INITIATED BY
ELECTIONS

TOTAL
ANOTHER PERSON

INITIATED BY
ELECTIONS

TOTAL
ANOTHER PERSON

INITIATED BY
EXTERNAL FORCES

OVER WATER

OVER LAND

THROUGH THE CANOPY

OVER WATER

OVER LAND

JETTISONED CANOPY

OVER WATER

JETTISONED CANOPY OVER LAND

2

LOWER EJECTION HANDLE

THROUGH THE CANOPY

OVER WATER

4

THROUGH-THE-

OVER WATER

OVER LAND

THROUGH THE CANOPY

OVER WATER

OVER LAND

JETTISONED CANOPY OVER WATER

THROUGH THE CANOPY

OVER WATER

OVER LAND

JETTISONED CANOPY OVER WATER

OVER LAND

THROUGH THE

UNKNOWN METHOD OF INITIATION


OVER WATER

OVER LAND

JETTISONED CANOPY OVER WATER

OVER LAND

JETTISONED CANOPY





-

7


100 EV


ن






ن










0-600+ KTS

A-5/NORTH AMERICAN HS-1A




÷







Ž.


T.2/NORTH AMERICAN LS-I/LS-IA




マングススカン こうこうかんかん こうこうかん 大田 でくら










Ó





7





C.

•

i de

ر ا

Š


S

¥

3

OVER WATER OVER LAND THROUGH-THE-THROUGH-THE-THROUGH-THE-CANOPY THROUGH-THE-CANOPY THROUGH-THE-THROUGH THE CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY UNKNOWN METHOD OF INITIATION LOWER EJECTION HANDLE INITIATED BY EXTERNAL FORCES JANUARY 1969 - DECEMBER 1979 F-5/ USAF F-5E

Participation of the Control of the




7

.

OVER WATER OVER LAND OVER WATER OVER WATER OVER LAND OVER WATER OVER WATER **OVER LAND** OVER WATER OVER LAND æ THROUGH THE CANOPY THROUGH THE CANOPY THROUGH THE CANOPY THROUGH-THE-THROUGH-THE-CANOPY THROUGH THE CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY œ UNKNOWN METHOD OF INITIATION LOWER EJECTION HANDLE INITIATED BY EXTERNAL FORCES œ INITIATED BY ANOTHER PERSON INITIATED BY THIS PERSON JANUARY 1969 - DECEMBER 1979 V-8/MARTIN-BAKER H-9

WELLER OF THE PROPERTY IN CONTRACT PROPERTY AND A PROPERTY OF THE PROPERTY OF

DOSOMOR RECESSOR RECESSOR




DISTRIBUTION OF WINDBLAST, FLAIL AND TUMBLE ASSOCIATED PROBLEMS By type initiation and handle used 0-600+ KTS


†


3

7


:







FERRESPOND STANFORM





•

77


.:


Ì





.







2


7


0

A-4/ESCAPAC IC-3










ý.


(X)


*

Ž

OVER WATER OVER LAND OVER WATER OVER WATER OVER LAND DVER LAND OVER LAND OVER LAND OVER LAND OVER LAND OVER LAND OVER LAND DVER LAND 4 THROUGH THE CANOPY THROUGH THE CANOPY THROUGH THE CANOPY THROUGH THE THROUGH THE JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY UNKNOWN METHOD
OF INITIATION LOWER EJECTION HANDLE INITIATED BY EXTERNAL FORCES ო INITIATED BY ANOTHER PERSON JANUARY 1969 - DECEMBER 1979 A-4/ESCAPAC IF-3










DISTRIBUTION OF WINDBLAST, FLAIL AND TUMBLE ASSOCIATED PROBLEMS BY TYPE INITIATION AND HANDLE USED

. . .








大きななられない 大人のことになる


A-7/ESCAPAC IC-2




1


-

.




-






のはいいないと

A-7/ESCAPAC IG-2




•



THE RESERVE PROPERTY SERVICES PRODUCED RECEIVED.

A-7/ESCAPAC IG-4



SX.


1

ý.

7

; ;-.

S-3/ESCAPAC IE-1



TO SELECTION OF THE PROPERTY O

DISTRIBUTION OF WINDBLAST, FLAIL AND TUMBLE ASSOCIATED PROBLEMS BY TYPE INITIATION AND HANDLE USED

OVER WATER OVER LAND OVER WATER OVER WATER OVER WATER OVER LAND OVER LAND OVER LAND OVER LAND OVER WATER OVER LAND OVER LAND OVER LAND OVER LAND 美 系 Ē <u>12</u> 42 -4 THROUGH:THE: THROUGH THE THROUGH THE THROUGH THE CANOPY THROUGH THE THROUGH-THE-JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JE TTISONED CANOPY 350 TO 600+ KTS 14/2 12 <u>\$</u> 18 21 UNKNOWN METHOD
OF INITATION LOWER EJECTION HANDLE INITIATED BY EXTERNAL FORCES 338 INITIATED BY ANOTHER PERSON INITIATED BY THIS PERSON ESCAPAC 1, IA-1, IC-2, & IC-3 JANUARY 1969 - DECEMBER 1979 FOTAL EJECTIONS 375


<u>.</u>


A


1


=


2 · · · ·
















F





Base State Contract of the Contract of



33

S








2

OVER WATER OVER LAND OVER WATER OVER WATER OVER LAND OVER WATER OVER LAND <u>₹</u> 25 X 26<u>X</u> 4 5 5 THROUGH THE CANOPY THROUGH THE CANOPY THROUGH THE CANOPY THROUGH-THE-CANOPY THROUGH THE THROUGH-THE-CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY UNKNOWN METHOD OF INITIATION INITIATED BY EXTERNAL FORCES 90 ESCAPAC IF-3, IG-2, IG-3, & IG-4 INITIATED BY ANOTHER PERSON INITIATED BY THIS PERSON JANUARY 1969 - DECEMBER 1979 FUECTIONS 103


PORTORIO ESPERANTE SANDONO FRANCESCO PARACACIÓN CARACAS INDICADAS










D








ASSOCIATED PROBLEMS BY TYPE INITIATION AND HANDLE USED (CONT'D) 350 TO 600+ KTS












manage access the second

decent recessor ecosocost conseque conseque adecessor ecosocos ecosocos

F-9/MARTIN-BAKER MK AS



S

: •

, Ai

·.·

Š

25

, ,


がな 表と

. .


. ...

OVER WATER OVER LAND OVER WATER OVER WATER OVER LAND OVER WATER OVER WATER OVER LAND OVER LAND OVER LAND OVER LAND OVER LAND OVER LAND DVER LAND OVER LAND OVER LAND THROUGH THE CANOPY THROUGH THE THROUGH THE THROUGH THE THROUGH THE JE TTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY 350 TO 600+ KTS UNKNOWN METHOD OF INITIATION LOWER EJECTION HANDLE FACE CURTAIN INITIATED BY EXTERNAL FORCES ~ INITIATED BY ANOTHER PERSON F-9/MARTIN-BAKER MKAZ JANUARY 1969 -- DECEMBER 1979

SEAL DESCRIPTION CONTRACTOR PROPERTY CONTRACTOR POSSES




F-8/MARTIN-BAKER MK F5



ACCOUNT BASSAND BUSINESS

(A)




1


1.


Į,

F-8 /MARTIN-BAKER MK F7




KOOGOGO GAAAAA KOOOOO KOOOOO






A-6/MARTIN-BAKER MK GRU7





...


. . . **.**

•











MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A



EA-6B/MASTIN-BAKER MK GRUS



253 253

一大学 東京 では、など

が見

K

.

EA-6B/MARTIN-BAKER MK GRUEA7




FESTIVE STREET PRODUCES

KURKKA MOMMAN

States considere assistant subjected subjected subjected

DEPOSES RECECEDED BESCHELD

F-14/MARTIN-BAKER MK GRU7A




ij


3

-

•


=






2

F-4/MARTIN-BAKER MK H5




aces recessed assessed economical economics. Substitute partition and the books of the books of


F-4/MARTIN-BAKER MK H7





٠. ج.


_


















T-1/MARTIN-BAKER MKLS




action (Normalis) (Proposition) (Separated) (See Separate)


一種なりの名の 野がり ちと

Š

F-9/MARTIN-BAKER MK Z5



KIGODOO KASSASA WAXAYYA KASOOSS KASOOSSA KASOOSSA KASOOSSA KA



DISTRIBUTION OF WINDBLAST, FLAIL AND TUMBLE ASSOCIATED PROBLEMS BY TYPE INITIATION AND HANDLE USED


•


.


180 OVER WATER OVER LAND OVER LAND OVER WATER OVER WATER OVER WATER OVER WATER DVER LAND OVER LAND 2 2 ဖြ 7 THROUGH THE CANOPY THROUGH THE THROUGH THE CANOPY THROUGH THE THROUGH THE THROUGH THE JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY 350 TO 600+ KTS UNKNOWN METHOD OF INITIATION INITIATED BY EXTERNAL FORCES 62 INITIATED BY ANOTHER PERSON INITIATED BY THIS PERSON **MARTIN-BAKER MK 5 SERIES** (LESS GRU5 & GRUEA5) JANUARY 1969 - DECEMBER 1979


Recognition Economics Presented Presents Services

SACCOM RESERVE MANAGEM RESERVE MANAGEM










MARTIN-BAKER MK 5 SERIES





<u>د</u>


1


· ·


ŵ
















İ



DISTRIBUTION OF WINDBLAST, FLAIL AND TUMBLE ASSOCIATED PROBLEMS BY TYPE INITIATION AND HANDLE USED

CARRELL CARREST MADELLAND BELLEVIN NAMED DESCRIPTION DESCRIPTION DESCRIPTION OF CONTRACT CONTRACTOR

350 TO 600+ KTS




.


٠.


į


:


1.18


















٠.




7

•

•


281 XX


ú




<u> Kadadaan badadan Repressa nebadaan kadaksa pareere</u> pareere


7







三














C) 2000000 Seedest Accepted Consesses


















CONTRACTOR CONTRACTOR

A-5/NORTH AMERICAN HS-1










A-5/NORTH AMERICAN HS-1A



で 心


· i

Ź,


**

Š

A-6/MARTIN-BAKER MK GRU5



HELDSON PARTY RECEERE




12.5

₹7.00 (2.00)

...


.


I-2/NORTH AMERICAN LS-1/LS-1A




DESCRIPTION REPORTER RESOLVED BEINGER RESOLVES TO THE PROPERTY OF THE


. ث







V-10/NORTH AMERICAN LW-3B




RESERVED IN PROJECT PROGRAM INCOME

Secret Services and American services according

STATE OF THE PROPERTY OF THE P

T-33/NAMC CATAPULT



Ç.

7

÷

DISTRIBUTION OF WINDBLAST, FLAIL AND TUMBLE ASSOCIATED PROBLEMS

大人

13

OVER WATER OVER WATER OVER WATER OVER LAND OVER WATER OVER LAND OVER WATER OVER WATER OVER WATER OVER WATER OVER WATER OVER LAND BY TYPE INITIATION AND HANDLE USED 350 TO 600+ KTS THROUGH THE THROUGH THE CANOPY THROUGH-THE-THROUGH THE THROUGH:THE CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY JETTISONED CANOPY LOWER EJECTION HANDLE FACE CURTAIN INITIATED BY EXTERNAL FORCES INITIATED BY ANOTHER PERSON INITIATED BY
THIS PERSON JANUARY 1969 - DECEMBER 1979 F-5/USAF F-5E

statement production of the seconds of the second second

Kiringham Recessor

OVER WATER

OVER LAND

THROUGH THE

UNKNOWN METHOD
OF INITIATION

OVER WATER


OVER WATER

OVER LAND

JETTISONED CANOPY

RESERVED BESSELS BESSELSES DESIGNATION

V-8/MARTIN-BAKER H-9



個の

: ت


=


3

3

,

V-8/STENCEL SEU-3/A (SIIIS-3)





FLAILING INJURIES

200 E 200 CO 50 CO 5

INJURIES (ARMS & LEGS PRIMARILY) HAS CLASSIC CAUSAL FACTOR FOR FLAILING BEEN WINDBLAST OR "q".

FLAIL INJURIES SHOULD BE EXPECTED TO RELATIONSHIP WITH EJECTION AIRSPEED. SINCE q \approx 1/2 ρ V² WINDBLAST INDUCED DEMONSTRATE A SQUARE FUNCTION

FLAILING INJURIES

- PROBABLE CAUSE FOR EXPECTED FLAIL INJURY INCIDENCE PATTERN SHOWING ONLY AMONGST SURVIVING EJECTEES IS MASKING EFFECTS OF
- LOST CATEGORY
- MULTIPLE EXTREME INJURIES CATEGORY
- ALTHOUGH THESE EJECTEES MAY HAVE SUFFERED THOSE IN MULTIPLE EXTREME INJURY CATEGORY FLAILING INJURIES DETECTION IMPOSSIBLE FOR THOSE IN LOST CATEGORY AND UNLIKELY DUE TO MASSIVENESS OF INJURIES SUSTAINED BY

ŝ

· .

WINDBLAST AND/OR TUMBLE PROBLEMS AMONG SURVIVING EJECTEES USING ESCAPAC IA-1, IC-2 & IC-3 AND USING ESCAPAC IF-3, IG-2 & IG-3 EJECTION SEATS **COMPARISON OF INCIDENCE RATE OF FLAIL,** (1 JANUARY 1969 THROUGH 31 DECEMBER 1979)


3

7

250 PS 250 SS

では、 東京 大学


Š



SESSIONAL FREEZHOOG, PERSONERAL INCORPOR

al <u>essesse soboda kaaraas booddo araaaa araaaa</u>

UNBALANCING FORCES ACTING UPON SEAT-EJECTEE COMBINATION IMMEDIATELY AFTER RAIL SEPARATION



GENERALIZED VIEW OF SIIIS-3 EJECTION SEAT SHOWING HEADBOX MOUNTED PARACHUTE FREE TO DEPLOY WITH EJECTEE IN SEAT

2





GENERALIZED VIEW OF ESCAPAC EJECTION SEAT SHOWING MANUAL BAILOUT TYPE PARACHUTE TRAPPED BETWEEN EJECTEE AND SEAT BACK





2


24 24
















POST TO SOLVE SOLV

. .

8


,





1


7.



PERCENTAGE

TOTAL SURVIVORS


pagagon accommon reseases hereases hereases.




,

-:


\ .






·


• • •




の人というに入れる。 サンプログラング サービング A Marie


4

1



TO LEAD TO THE PROPERTY OF THE



7


· ·

3

3


5

: ن



KARIOLAN BEGESTER PROSESSO HERALING ANDROGEN FORMAN PROFESSOR

Control of the second second second second second second second



2

•••


م م م


ě

<u>.</u>


7

7.





AIRCREH AUTOMATED ESCAPE SYSTEMS (ARES) DATA ANALYSIS PROGRAM SYMPOSIUM H. (U) NAVAL SAFETY CENTER MORFOLK VA 1981 MD-M171 658 UNCLASSIFIED F/G 1/3 NL




the excess manner and one needs


MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS 1963 A

1

3



KARADARA KARARAKA





77

ij

7

.






T V.


C)

•

: -

``





3


(*)


.

1


-

7.7.







SAME DECEMBED OF BESSERVE PRESESDE PRESESDENCE




1 JANUARY 1969 THROUGH 31 DECEMBER 1979 INJURIES ATTRIBUTED TO WINDBLAST TUMBLE ANDIOR OCCURRENCES BY EJECTION AIRSPEED OF PROBLEMS & FLAIL AMONG U.S. NAVY SURVIVING EJECTEES



500 CH 000






8

K


Š

22



INJURIES ATTRIBUTED TO WINDBLAST TUMBLE AND/OR OCCURRENCES BY EJECTION AIRSPEED OF PROBLEMS & FLAIL AMONG U.S. NAVY SURVIVING EJECTEES

SEEST CONSTRUCT CONTROL CONTROL CONTROL CONTROL



, ; ; ; ;

A BE

33

3

...

ESCAPAC 1A-1 (2921)

CAUSAL FACTORS	TUMBLE	WINDBLAST	FLAIL
BODY PART/ LOCATION		DIAGNOSES/COUNTS	
THORAX		CONTUSION/1	
SHOULDER	<u> </u>		SPRAIN/1
KNEE		STRAIN/2 TEAR OF MUSCLE/1	

ESCAPAC 1C-3 (2923)

CAUSAL FACTORS	TUMBLE	WINDBLAST	FLAIL
BODY PART/ LOCATION	DIAGNOSES/COUNTS		
FACE		LACERATION/1 CONTUSION/1 ABRASION/1	
EYE)	HEMORRHAGE/1	
SHOULDER		DISLOCATION/2 COMMINUTED/2 SPRAIN/2	
ARM, U			FRACTURE, SIMPLE/1
HAND/FINGER		LACERATION/1	
KNEE			STRAIN/1 DISLOCATION/2
MULTIPLE		CONTUSION/1	

ESCAPAC 1, 1A-1, 1C-2, 1C-3

CAUSAL FACTORS	TUMBLE	WINDBLAST	FLAIL
BODY PART/ LOCATION		DIAGNOSES/COUNTS	
FACE		HEMORRHAGE/1 HEMATOMA/1 LACERATION/1 CONTUSION/1 ABRASION/1	
EYE		HEMORRHAGE/3	
THORAX		CONTUSION/1	
SHOULDER		SPRAIN/3 DISLOCATION/2 COMMINUTED/2	SPRAIN/1 FRACTURE, SIMPLE/1
ARM, U		FRACTURE, SIMPLE/1	FRACTURE, SIMPLE/1
HAND/FINGER		LACERATION/1	
LEG, U			FRACTURE, COMPOUND/1
KNEE		STRAIN/2	DISLOCATION/2 STRAIN/1
MULTIPLE		CONTUSION/1	

ESCAPAC 1, 1A-1, 1C-3

CAUSAL FACTORS	TUMBLE	WINDBLAST	FLAIL
BODY PART/ LOCATION	DIAGNOSES/COUNTS		
FACE		LACERATION/1 CONTUSION/1 ABRASION/1	
EYE		HEMORRHAGE/1	
THORAX		CONTUSION/1	
SHOULDER		DISLOCATION/2 COMMINUTED/2 SPRAIN/2	SPRAIN/1
ARM, U			FRACTURE, SIMPLE/1
HAND/FINGER		LACERATION/1	
KNEE		STRAIN/2 TEAR OF MUSCLE/1	STRAIN/1 DISLOCATION/2
MULTIPLE		CONTUSION/1	

ESCAPAC 1C-2 (2922)

CAUSAL FACTORS	TUMBLE	WINDBLAST	FLAIL
BODY PART/ LOCATION		DIAGNOSES/COUNTS	
FACE		HEMORRHAGE HEMATOMA/1	
EYE		HEMORRHAGE/2	
SHOULDER		SPRAIN/1	FRACTURE, SIMPLE/1
ARM, U	1	FRACTURE, SIMPLE/1	
LEG, U			FRACTURE, COMPOUND/1
KNEE			DISLOCATION/2

ESCAPAC 1F-3 (3041)

CAUSAL FACTORS	TUMBLE	WINDBLAST	FLAIL	
BODY PART/ LOCATION		DIAGNOSES/COUNTS		
FACE	LACERATION/1	CONTUSION/1		
NECK		HEMATOMA/1 ABRASION/1	STRAIN/1	
SHOULDER	CONTUSION/1	{	FRACTURE, SIMPLE/1	
ARM, U		}	FRACTURE, SIMPLE/1	
ELBOW			DISLOCATION/1	
KNEE		STRAIN/1	STRAIN/1	

ESCAPAC 1G-3 (3043)

CAUSAL FACTORS	TUMBLE	WINDBLAST	FLAIL
BODY PART/ LOCATION		DIAGNOSES/COUNTS	
SKULL		CONTUSION/1	
FACE		CONTUSION/2	
EYE		HEMORRHAGE/1	
NECK		LACERATION/1	
SHOULDER			STRAIN/1 CONTUSION/1
ARM, U			FRACTURE, SIMPLE/1
WRIST			LACERATION/1
KNEE		STRAIN/1	STRAIN/1
MULTIPLE		CONTUSION/1	

ESCAPAC 1F-3 & 1G-3

CAUSAL FACTORS	TUMBLE	WINDBLAST	FLAIL
BODY PART/ LOCATION	DIAGNOSES/COUNTS		
SKULL		CONTUSION/1	
FACE	LACERATION/1	CONTUSION/3	
EYE		HEMORRHAGE/1	
NECK		LACERATION/1 HEMATOMA/1 ABRASION/1	STRAIN/1
SHOULDER	CONTUSION/1		FRACTURE, SIMPLE/1
ARM, U			FRACTURE, SIMPLE/2
ELBOW			DISLOCATION/1
WRIST			LACERATION/1
KNEE		STRAIN/2	STRAIN/2
MULTIPLE		CONTUSION/1	

ESCAPAC 1G-2 (3042)

CAUSAL FACTORS	TUMBLE	WINDBLAST	FLAIL
BODY PART/ LOCATION		DIAGNOSES/COUNTS	
KNEE			SPRAIN/1

ESCAPAC 1F-3, 1G-2, 1G-3

CAUSAL FACTORS	TUMBLE	WINDBLAST	FLAIL
BODY PART/ LOCATION		DIAGNOSES/COUNTS	
SKULL		CONTUSION/1	
FACE	LACERATION/1	CONTUSION/3	
EYE		HEMORRHAGE/1	
NECK		LACERATION/1 HEMATOMA/1 ABRASION/1	STRAIN/1
SHOULDER	CONTUSION/1		FRACTURE, SIMPLE/2 STRAIN/1 CONTUSION/1
ARM, U			FRACTURE, SIMPLE/2
ELBOW			DISLOCATION/1
WRIST			LACERATION/1
KNEE		STRAIN/2	STRAIN/2 SPRAIN/1
MULTIPLE		CONTUSION/1	

INJURY DISTRIBUTION BY CAUSAL FACTORS, BODY LOCATION AND DIAGNOSES MARTIN-BAKER MK Z5 (2905)

CAUSAL FACTORS	TUMBLE	WINDBLAST	FLAIL
BODY PART/ LOCATION	DIAGNOSES/COUNTS		
EYE		HEMORRHAGE/1	
SHOULDER		DISLOCATION/1	

INJURY DISTRIBUTION BY CAUSAL FACTORS, BODY LOCATION AND DIAGNOSES MARTIN-BAKER MK 5 SERIES (LESS GRU5 & GRUE A5)

CAUSAL FACTORS	TUMBLE	WINDBLAST	FLAIL
BODY PART/ LOCATION	DIAGNOSES/COUNTS		
EYE		HEMORRHAGE/1	
SHOULDER		DISLOCATION/1	

MARTIN-BAKER MK GRU5 (2906)

CAUSAL FACTORS	TUMBLE	WINDBLAST	FLAIL
BODY PART/ LOCATION	DIAGNOSES/COUNTS		
SKULL		CONTUSION/1	
FACE		ABRASION/1 CONTUSION/1	
NECK		SPRAIN/1	
ELBOW			DISLOCATION/1
HAND/FINGER		CONTUSION/1	
KNEE			DERANGEMENT/1
MULTIPLE		ABRASION/1	

INJURY DISTRIBUTION BY CAUSAL FACTORS, BODY LOCATION AND DIAGNOSES MARTIN-BAKER MK 5 SERIES

CAUSAL FACTORS	TUMBLE	WINDBLAST	FLAIL
BODY PART/ LOCATION	DIAGNOSES/COUNTS		
SKULL		CONTUSION/1	
FACE		ABRASION/1 CONTUSION/1	
EYE		HEMORRHAGE/1	
NECK		SPRAIN/1	
SHOULDER		DISLOCATION/1	
ELBOW			DISLOCATION/1
HAND/FINGER		CONTUSION/1	
KNEE			DERANGEMENT/1
MULTIPLE		ABRASION/1	

INJURY DISTRIBUTION BY CAUSAL FACTORS, BODY LOCATION AND DIAGNOSES MARTIN-BAKER MK A7 (3020)

CAUSAL FACTORS	TUMBLE	WINDBLAST	FLAIL
BODY PART/ LOCATION		DIAGNOSES/COUNTS	
FACE		CONTUSION/2	
SHOULDER		STRAIN/1	
ARM, U			FRACTURE, SIMPLE/1
GROIN		STRAIN/1	
LEG, U		FRACTURE, SIMPLE/1	
KNEE		STRAIN/1	DISLOCATION/1

INJURY DISTRIBUTION BY CAUSAL FACTORS, BODY LOCATION AND DIAGNOSES MARTIN-BAKER MK F7 (3021)

CAUSAL FACTORS	TUMBLE	WINDBLAST	FLAIL
BODY PART/ LOCATION		DIAGNOSES/COUNTS	
SHOULDER		STRAIN/1 FRACTURE, SIMPLE/1	
T. BODY	COMPRESSION/1		
LEG, U		CONTUSION/1	
KNEE		STRAIN/2	

INJURY DISTRIBUTION BY CAUSAL FACTORS, BODY LOCATION AND DIAGNOSES MARTIN-BAKER MK GRU7A (3024)

CAUSAL FACTORS	TUMBLE	WINDBLAST	FLAIL
BODY PART/ LOCATION		DIAGNOSES/COUNTS	
ARM, U			SPRAIN/1

INJURY DISTRIBUTION BY CAUSAL FACTORS, BODY LOCATION AND DIAGNOSES MARTIN-BAKER MK H7 (3022)

CAUSAL FACTORS	TUMBLE	WINDBLAST	FLAIL
BODY PART/ LOCATION		DIAGNOSES/COUNTS	
FACE		LACERATION/1 ABRASION/2 INJURY, INTERNAL/1	
EYE		ABRASION/1 HEMORRHAGE/2 CONTUSION/2	
THORAX		PNEUMO/HEMOTHORAX/1	
ARM, U			FRACTURE, SIMPLE/1
ELBOW		DISLOCATION/1	SPRAIN/1 STRAIN/1
KNEE		STRAIN/1 TEAR OF MUSCLE/2	DISLOCATION/1 TEAR OF MUSCLE/1
LEG, L		COMMINUTED/1	

INJURY DISTRIBUTION BY CAUSAL FACTORS, BODY LOCATION AND DIAGNOSES MARTIN-BAKER MK 7 SERIES (LESS GRU7 & GRUEA7)

CAUSAL FACTORS	TUMBLE	WINDBLAST	FLAIL
BODY PART/ LOCATION		DIAGNOSES/COUNTS	
FACE		CONTUSION/2 ABRASION/1 LACERATION/1	
EYE		ABRASION/1 HEMORRHAGE/2 CONTUSION/2	
THORAX		PNEUMO/HEMOTHORAX/1	
ARM, U			FRACTURE, SIMPLE/2
ELBOW		DISLOCATION/1	SPRAIN/1 STRAIN/1
T. BODY	COMPRESSION/1		
GROIN		STRAIN/1	
LEG, U		CONTUSION/1 FRACTURE, SIMPLE/1	
KNEE		STRAIN/4 TEAR OF MUSCLE/2	DISLOCATION/2 TEAR OF MUSCLE/1
LEG, L		COMMINUTED/1	

INJURY DISTRIBUTION BY CAUSAL FACTORS, BODY LOCATION AND DIAGNOSES

MARTIN-BAKER MK GRU7 (3023)

CAUSAL FACTORS	TUMBLE	WINDBLAST	FLAIL
BODY PART/ LOCATION		DIAGNOSES/COUNTS	
SHOULDER			DISLOCATION/1
ARM, U			LACERATION/1
WRIST			STRAIN/1
HAND/FINGER			CONTUSION/1

INJURY DISTRIBUTION BY CAUSAL FACTORS, BODY LOCATION AND DIAGNOSES

MARTIN-BAKER MK 7 SERIES

CAUSAL FACTORS	TUMBLE	WINDBLAST	FLAIL
BODY PART/ LOCATION		DIAGNOSES/COUNTS	
FACE		CONTUSION/2 LACERATION/1 ABRASION/2	
EYE		ABRASION/1 HEMORRHAGE/2 CONTUSION/2	
THORAX		PNEUMO/HEMOTHORAX/1	
SHOULDER		STRAIN/2 FRACTURE, SIMPLE/1	DISLOCATION/1
ARM, U			LACERATION/1 SPRAIN/1 FRACTURE, SIMPLE/2
ELBOW		DISLOCATION/1	SPRAIN/1 STRAIN/1
WRIST			STRAIN/1
HAND/FINGER			CONTUSION/1
T. BODY	COMPRESSION/1		
GROIN		STRAIN/1	
LEG, U		CONTUSION/1 FRACTURE, SIMPLE/1	
KNEE		STRAIN/4 TEAR OF MUSCLE/2	DISLOCATION/2 TEAR OF MUSCLE/3
LEG, L		COMMINUTED/1	

INJURY DISTRIBUTION BY CAUSAL FACTORS, BODY LOCATION AND DIAGNOSES

NORTH AMERICAN HS-1 (3001)

CAUSAL FACTORS	TUMBLE	WINDBLAST	FLAIL
BODY PART/ LOCATION		DIAGNOSES/COUNTS	
EYE		CONTUSION/1	
THORAX		FOREIGN BODY/1	
ELBOW		DISLOCATION/1	
PELVIS		DISLOCATION/1	

INJURY DISTRIBUTION BY CAUSAL FACTORS, BODY LOCATION AND DIAGNOSES NORTH AMERICAN LS-1 (3003)

CAUSAL FACTORS	TUMBLE	WINDBLAST	FLAIL
BODY PART/ LOCATION		DIAGNOSES/COUNTS	
FACE		STRETCHING/1	
NECK		ABRASION/1	
CERVICAL 4		TRANSECTION/1	
CERVICAL 5		TRANSECTION/1	
SHOULDER	FRACTURE,SIMPLE/1	FRACTURE, SIMPLE/1	
ARM, U		COMMINUTED/1	
LEG, U			FRACTURE, SIMPLE/1
KNEE		FRACTURE, SIMPLE/1 AVALSION/1 DISLOCATION/1	LACERATION/1
LEG, L		FRACTURE, SIMPLE/1	FRACTURE, SIMPLE/1 LACERATION/1

OFFICE OF NAVAL RESEARCH

ANALYSIS OF COMBAT EJECTION INJURY VERSUS METHOD OF EJECTION SEAT INITIATION

25 September 1981

Reproduction in whole or in part is permitted for any purpose of the United States Government

Distribution of this report is unlimited

BioTechnology, Inc.

3027 ROSEMARY LANE - FALLS CHURCH, VIRGINIA

OFFICE OF NAVAL RESEARCH

Contract No. N00014-77-C-0253 Task No. 207-007

ANALYSES OF COMBAT EJECTION INJURY VERSUS METHOD OF EJECTION SEAT INITIATION

by
Martin G. Every

Prepared for Use in the Automated Airborne Escape System Symposium

Naval Air Station Norfolk, Va.

25 September 1981

INTRODUCTION

This study was carried out under a BioTechnology, Inc. (BTI) contract with the Office of Naval Research (No. N00014-77-C-0253). This effort is in support of analyses being conducted by the Naval Air Systems Command (NAVAIR) and the Naval Weapons Engineering Support Activity (NAVWESA), which examine problems associated with Automated Airborne Escape Systems (AAES). The specific analyses in this report focused on using combat data to examine the etiology of ejection and high speed flail injuries and their possible relation to method of ejection initiation. The results of these analyses will be integrated with NAVAIR and NAVWESA efforts for presentation at a symposium to be conducted 6-8 October 1981 at the Naval Safety Center, Norfolk, Virginia.

CALL CARREST AND CARREST AND CONTROL OF CONT

PROCEDURES

This section will present a short summary of the data collection procedures for the Recovered (REC) and Prisoner of War (POW) casualty groups utilized in this effort. The population was defined as follows:

Personnel: Navy pilots and aircrewmen

Aircraft: Fixed-wing jet only; restricted to A-4,

A-6, F-4, F-8, and RA-5C aircraft

Area of Loss: Combat zone of Southeast Asia

Event: Loss caused by or during enemy action.

The Missing and Killed in Action cases were excluded from the present study because of the large amounts of missing data within this group relative to the method of ejection. Consequently, the study group consisted of 104 Recovered and 137 Prisoner of War cases.

Data collection was accomplished principally through use of an aviation combat casualty report form which covered all phases of the emergency sequence. This form was slightly modified for each of the casualty groups, depending primarily on whether the individual was rescued or captured. In order to facilitate comparison with noncombat data from the Naval Safety Center, every attempt was made to keep these forms compatible with the Medical Officers' Report of Aircraft Accident Incident or Ground Accident Form (Form 3750-7), which is the form required for all noncombat aircraft accidents and incidents. The BTI forms were pretested on a number of pilots who were not part of the study group.

Injury classifications for this study were made using the coding instructions contained in OPNAVINST 3750.6G, as follows:

Major Injury—Any injury requiring five days or more hospitalization and/or "sick in quarters." Also any of the following, regardless of hospitalization/sick in quarters time:

- 1. Unconsciousness due to head trauma (transient unconsciousness due to hypoxia, hyperventilation, G forces, etc., are not to be classified as injury).
- 2. Fractures of any bone except simple fracture of nose or phalanges.
- 3. Traumatic dislocation of major joints/internal derangement of the knee.
- 4. Moderate or severe lacerations resulting in severe hemorrhage or extensive surgical repair.
- 5. Injury to any internal organ.
- 6. Any third degree burns. Any second degree burns involving more than 5 percent of the body surface. Any friction burn regardless of degree that requires less than five days hospitalization or "sick in quarters' is classified as a minor injury.

Minor Injury-Any injury less than major which:

SAMI PARKEKAK SAMASAS SAMASAMA PARKAGA KAKKAGA

- 1. Results in the loss of 24 hours from full performance of regularly assigned duties, but less than five days.
- 2. Results in loss of regular working time for civilians beyond the day or shift in which injury occurs.
- 3. Hospitalization for observation not to exceed 48 hours from the time of admission is not classified as an injury.

No Injury-Minimal injuries which do not meet the criteria for minor injury.

In those cases where injury description and information on days of hospitalization left doubt as to the exact injury classification, the narratives, days-grounded information, or the aircrewman's own estimate of injury severity was used to effect a categorization.

For the repatriated POW aircrewmen, additional injury information was obtained from medical records on file at the Naval Aerospace Medical Institute (NAMI), Pensacola, Florida. These medical data were available as part of the "Repatriated Prisoner of War Program." As the injury data were taken by BioTechnology personnel from NAMI files, each injury was coded in terms of the following: description, specific anatomical location, time, severity, and probable cause. The coded medical data were then transferred onto 80-column punch cards and combined with prisoner-of-war event data already on computer file.

It should be noted here that this improved injury data base for the POW group is the reason why certain analyses in this effort were conducted utilizing only that group.

SECTION 1

This section presents a distribution of all ejection injuries of Navy aircrewmen in the study group when separated into categories based on: person initiating ejection sequence, method of dealing with aircraft canopy, and method of initiating ejection sequence.

Part A of this section shows the injury rates, by aircraft type, for the combined Recovered and Prisoner of War groups. The following is a summary from Part A giving the percentage of ejectees who: initiated their own ejection, jettisoned the canopy (or, in the A-6, went through the canopy), and sustained a major ejection injury.

Major Ejection Injury Rates (POW & REC)

Type Aircraft	Lower Handle	Face Curtain
A-4	33%	23%
A-6	No Ejections	61%
A-7	33%	25%
F-4	26%	21%
F-8	25%	28%
RA-5C	20%	50%

Part B represents the same type of distribution for the POW group alone. The following is a summary for this group and represents injury ratios for the same conditions as Part A.

Major Ejection Injury Rates (POW only)

Type Aircraft	Lower Handle	Face Curtain
A-4	40%	42%
A-6	No Ejections	64%
A-7	100%*	0%
F-4	27%	19%
F-8	0%	30%
RA-5C	2 5%	50%


^{*}Only in one case.


SECTION 1

Part A

Distribution of Recovered and Prisoner of War Ejection Injuries Incurred During Southeast Asia Combat by Canopy Disposition and Method of Ejection Seat Initiation

٧.






日

Ţ

=


1



BEGGGGG KSENESK POLECOEK FESSESSE KSSSSK AMD

DISTRIBUTION OF EJECTION INJURIES DURING SEASIA COMBAT HANDLE USED BY TYPE INITIATION AND

Execute as some content of the conte



2


,_


\ .\,

_

1

T





. . .


P

TATE OF THE PARTY
SECTION 1

Part B

Distribution of Prisoner of War Ejection Injuries Incurred During Southeast Asia Combat by Canopy Disposition and Method of Ejection Seat Initiation

AND THE PROPERTY OF THE PROPER



. . **.** . .

)

.

*

P


.

:: _


景 88 秀

•••

.



アン・レーレー




Ī


...

_

*



PROBLEG BECOMES KNOWERS PRESENT BECEFOR




7

); =

7

¥.



SECTION 2

This section shows the distribution of major upper-extremity ejection injuries, by speed at time of ejection and method of seat initiation. Part A shows the distribution for the combined REC and POW groups. Part B shows the same distribution for just the POW group. In both groups, there are approximately 5 percent fewer major upper-extremity injuries among the aircrewmen who utilized the face curtain to initiate ejection. In the higher speed ranges (e.g., greater than 450 KIAS) for the REC and POW groups, the major injury rate is 34.8 percent for those utilizing the lower handle and 23.8 percent for those utilizing the face curtain.

SECTION 2

Part A

Distribution of Recovered and Prisoner of War Ejection Injuries During Southeast Asia Combat by Ejection Speed and Method of Ejection Seat Initiation

DISTRIBUTION OF EJECTION INJURIES DURING SEASIA COMBAT BY EJECTION SPEED AND HANDLE USED

TO SECURE AND PROPERTY AND PROPERTY OF THE PRO

GROUP REC & POW	_ AIRCRAFT TYPE	YPE All Types		TYPE INJURY Major Upper Ext. Only	Jpper Ext. Only
	TOTAL	LOWER HANDLE	ANDLE	FACE CURTAIN	JRTAIN
EJECTION SPEED (KIAS)	NUMBER OF EJECTIONS	NUMBER	NUMBER OF INDIVIDUALS INJURED	NUMBER USING	NUMBER OF INDIVIDUALS
0 – 49	0	0	0	0	0
66 - OS	•	0	0	0	0
100 – 149	5	3	1	2	0
150 – 199	14	3	0	11	0
200 – 249	56	10	0	16	0
250 – 299	31	6	0	23	-
300 – 349	20	9	o	14	2
350 – 399	21	ø	2	15	-
400 – 449	12	9	-	21	-
450 – 499	30	7	2	23	2
500 – 549	23	11	4	12	4
550 – 599	သ	-	0	4	-
600 – 649	9	က	·	က	က
669 - 029	0	0	0	0	0
700 – 749	1	-	1	0	0
TOTALS	209	65	12	144	15

DISTRIBUTION OF EJECTION INJURIES DURING SEASIA COMBAT BY EJECTION SPEED AND HANDLE USED

3

3.

•

REC & POW	_ AIRCRAFT TYPE	YPE A-4	TYPE I	TYPE INJURY Major Upper Ext. Only	pper Ext. Only
	TOTAL	LOWER HANDLE	ANDLE	FACE CI	FACE CURTAIN
	NUMBER OF EJECTIONS	NUMBER USING	NUMBER OF INDIVIDUALS INJURED	NUMBER USING	NUMBER OF INDIVIDUALS INJURED
1	0	0	0	0	0
	0	0	0	0	0
	က	2	0	-	0
	6	0	0	6	0
	14	9	0	∞	0
	4	4	0	9	-
_	7	4	0	က	-
	80	4	-	4	•
	80	4	0	4	•
•—	7	4	2	က	0
	&	က	-	ນ	ო
	-	0	0	-	•
	0	0	0	0	0
	0	0	0	0	•
	0	0	0	0	0
I	79	31	4	84	S

DISTRIBUTION OF EJECTION INJURIES DURING SEASIA USED COMBAT BY EJECTION SPEED AND HANDLE

PROGRAM SERVICE PROGRAM PROGRAM CONTRACTOR

- 1						_			,									
pper Ext. Only	URTAIN	NUMBER OF INDIVIDUALS INJURED	0	0	0	0	0	•	-	-	-	2	0	0	0	0	0	9
TYPE INJURY Major Upper Ext. Only	FACE CURTAIN	NUMBER	0	0	0	0	8	7	2	m	9	9	-	0	0	0	0	22
TYPE	IANDLE	NUMBER OF INDIVIDUALS INJURED	0	0	0	0	0	0	0	0	0	0	o	0	0	0	0	0
YPE A-6	LOWER HANDLE	NUMBER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
_ AIRCRAFT TYPE	TOTAL	NUMBER OF EJECTIONS	0	0	0	0	2	2	2	м	9	9	-	0	0	0	0	22
GROUP REC & POW		EJECTION SPEED (KIAS)	0 – 49	66 09	100 – 149	150 – 199	200 – 249	250 – 299	300 – 349	350 – 399	400 – 449	450 – 499	500 – 549	550 — 599	600 – 649	669 - 059	700 – 749	TOTALS

55.5

_

DISTRIBUTION OF EJECTION INJURIES DURING SEASIA COMBAT BY EJECTION SPEED AND HANDLE USED

GROUP REC & POW

7

10UP REC & POW	AIRCRAFT TYPE	YPE A-7	TYPE	TYPE INJURY Major Upper Ext. Only	Jpper Ext. Only
	TOTAL	LOWER HANDLE	IANDLE	FACE CURTAIN	JRTAIN
EJECTION SPEED (KIAS)	NUMBER OF EJECTIONS	NUMBER	NUMBER OF INDIVIDUALS INJURED	NUMBER	NUMBER OF INDIVIDUALS INJURED
0 – 49	0	0	0	0	0
66 09	0	0	0	0	0
100 – 149	0	0	0	0	0
150 – 199	1	0	0	1	0
200 – 249	•	0	0	-	0
250 – 299	ဧ	-	0	2	0
300 – 349	2	1	0	-	0
350 - 399	0	0	0	0	0
400 - 449	r	0	0	ß	0
450 – 499	2	ı	0	ŀ	0
500 - 549	0	0	0	0	0
550 — 599	0	0	0	0	0
600 – 649	0	0	0	0	0
620 - 699	0	0	0	0	0
700 – 749	0	0	0	0	0
TOTALS	14	3	0	11	0

DISTRIBUTION OF EJECTION INJURIES DURING SEASIA COMBAT BY EJECTION SPEED AND HANDLE USED

GROUP REC & POW	AIRCRAFT TYPE	YPE F-4	TYPE	TYPE INJURY Major Upper Ext. Only	pper Ext. Only
	TOTAL	LOWER HANDLE	ANDLE	FACE CURTAIN	JRTAIN
EJECTION SPEED (KIAS)	NUMBER OF EJECTIONS	NUMBER	NUMBER OF INDIVIDUALS INJURED	NUMBER	NUMBER OF INDIVIDUALS INJURED
0 – 49	0	0	0	0	0
20 - 99	0	0	0	0	0
100 – 149	2	1	1	,-	0
150 – 199	1	ı	0	0	0
200 – 249	ro.	m	0	2	0
250 – 299	7	1	0	9	0
300 – 349	9	ı	0	S	0
360 - 399	7	7	-	ភ	0
400 – 449	6	2	-	4	0
450 ~ 499	10	2	0	8	0
500 – 549	∞	•	ю	2	0
550 – 599	1	0	0	-	-
600 649	2	7	1	0	0
669 ~ 099	0	0	0	0	0
700 – 749	0	0	0	0	0
TOTALS	22	12	4	*	_

三人 シング

.

E

222

TYPE INJURY Major Upper Ext. Only INDIVIDUALS NUMBER OF INJURED FACE CURTAIN NUMBER CSING 22 INDIVIDUALS NUMBER OF INJURED 0 LOWER HANDLE φ Έ NUMBER USING ß AIRCRAFT TYPE _ OF EJECTIONS NUMBER TOTAL 27 EJECTION SPEED (KIAS) REC & POW 100 - 149200 - 249300 - 349250 - 299150 - 199350 - 399 400 - 449500 - 549 700 - 749450 - 499550 - 599600 - 649**620 - 699 50 - 99** 0 - 49TOTALS GROUP

December (Perentati Internacia Internacia)

GROUP REC & POW

ROUP REC & POW	_ AIRCRAFT TYPE	YPE RA-5C	TYPE	TYPE INJURY Major Upper Ext. Only	pper Ext. Only
	TOTAL	LOWER HANDLE	IANDLE	FACE CURTAIN	JRTAIN
EJECTION SPEED (KIAS)	NUMBER OF EJECTIONS	NUMBER	NUMBER OF INDIVIDUALS INJURED	NUMBER	NUMBER OF INDIVIDUALS INJURED
0 – 49	0	0	0	0	0
20 - 99	0	0	0	0	0
100 – 149	0	0	0	0	0
150 – 199	0	0	0	0	0
200 – 249	0	0	0	0	0
250 – 299	2	7	0	0	0
300 – 349	0	0	0	0	0
360 – 399	0	0	0	0	0
400 – 449	2	0	0	8	0
450 – 499	0	0	0	0	0
500 – 549	-	0	0	-	-
550 — 599	2	-	0	-	0
600 – 649	7	ı	0	က	м
660 – 696	0	0	0	0	0
700 – 749	1	-	-	0	0
TOTALS	12	5		7	4

SECTION 2

Part B

Distribution of Prisoner of War Ejection Injuries During Southeast Asia Combat by Ejection Speed and Method of Ejection Seat Initiation

GROUP

ROUP POW's	_ AIRCRAFT TYPE	rPE All	TYPE	TYPE INJURY Major Upper Ext. Only	oper Ext. Only
	TOTAL	LOWER HANDLE	IANDLE	FACE CURTAIN	JRTAIN
EJECTION SPEED (KIAS)	NUMBER OF EJECTIONS	NUMBER	NUMBER OF INDIVIDUALS INJURED	NUMBER	NUMBER OF INDIVIDUALS INJURED
0 – 49	0	0	0	0	0
20 – 99	0	0	0	0	0
100 – 149	2	1	0	-	0
150 – 199	8	ı	0	2	0
200 – 249	10	9	0	4	0
250 - 299	9	-	0	Ŋ	ę-
300 - 349	10	5	0	2	1
350 - 399	12	4	2	80	-
400 – 449	16	က	-	13	F
450 – 499	20	9	2	14	2
500 – 549	19	∞	က	-	4
550 - 599	က	-	0	8	0
600 — 649	9	ဇ	1	က	က
620 - 699	0	0	0	0	0
700 – 749	1	-	-	0	0
TOTALS	108	40	10	89	13

))

•

GROUP POW	_ AIRCRAFT TYPE	YPE A-4	TYPE	TYPE INJURY Major Upper Ext. Only	pper Ext. Only
	TOTAL	LOWER HANDLE	IANDLE	FACE CURTAIN	IRTAIN
EJECTION SPEED (KIAS)	NUMBER OF EJECTIONS	NUMBER	NUMBER OF INDIVIDUALS INJURED	NUMBER	NUMBER OF INDIVIDUALS INJURED
0 – 49	0	0	0	0	0
20 - 99	0	0	0	0	0
100 – 149	-	1	0	0	0
150 – 199	2	0	0	2	0
200 – 249	4	ო	0	(-	0
250 – 299	3	0	0	ю	-
300 – 349	4	က	0	-	-
350 - 399	ហ	က	-	7	0
400 – 449	4	-	0	М	0
450 – 499	5	4	2	-	0
500 – 549	7	8	0	ro	М
250 - 599	-	0	0	-	0
600 – 649	0	0	0	0	0
669 - 099	0	0	0	0	0
700 – 749	0	0	0	0	0
TOTALS	98	11	က	19	S

EJECTION SPEED (KIAS) NUMBER OF EJECTIONS NUMBER INDIVIDUALS INJURED INJURED NUMBER INJURED INJURED INJURED INJURED NUMBER INJURED		TOTAL	LOWER HANDLE	ANDLE	FACE CURTAIN	JRTAIN
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	EJECTION SPEED (KIAS)	NUMBER OF EJECTIONS	NUMBER	NUMBER OF INDIVIDUALS INJURED	NUMBER	NUMBER OF INDIVIDUALS INJURED
	0 – 49	0	0	0	0	0
	20 - 99	0	0	0	0	0
0 · 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	100 – 149	0	0	0	0	0
	150 – 199	0	0	0	0	0
0 0 0 0 0 0 0 0 0 1 1 0 0 0 0 0 0 0 0 0	200 – 249	•	0	0	0	0
3 0 0 3 6 0 0 6 1 1 0 0 0 1 0 0 0 0 1 0 0 0 0 0 0 15 0 0 0 0 0	250 – 299	0	0	0	0	0
6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	300 – 349	0	0	0	0	0
6 0 0 0 0 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0	350 – 399	ю	0	0	က	-
5 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 15 0 0 15	400 – 449	9	0	0	9	-
1 0 0 1 0 0 0 0 0 0 0 0 0 0 15 0 0 15	450 – 499	5	0	0	5	2
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	500 – 549	-	0	0	-	0
0 0 0 0 0 0 0 0 15 0 0 15	550 – 599	0	0	0	0	0
0 0 0 0 15 0 0 15	600 – 649	0	0	0	0	0
15 0 0 0 0 15	669 - 059	0	0	G	0	0
15 0 0 15	700 – 749	0	0	0	0	0
	TOTALS	15	0	0	15	4

滋

東京 公司 田田 高温

...

ر د ا

GROUP POW	AIRCRAFT TYPE	YPE A-7		TYPE INJURY Major Upper Ext. Only	pper Ext. Only
	TOTAL	LOWER HANDLE	ANDLE	FACE CURTAIN	JRTAIN
EJECTION SPEED (KIAS)	NUMBER OF EJECTIONS	NUMBER USING	NUMBER OF INDIVIDUALS INJURED	NUMBER USING	NUMBER OF INDIVIDUALS INJURED
0 – 49	0	0	0	0	0
66 - 09	0	0	0	0	0
100 – 149	0	0	0	0	0
150 – 199	0	0	0	0	0
200 – 249	-	0	0	_	0
250 – 299	1	0	0	-	•
300 – 349	1	l	0	0	0
350 – 399	0	0	0	0	0
400 – 449	2	0	0	2	0
450 – 499	1	0	0	1	0
500 – 549	0	0	0	0	0
550 – 599	0	0	0	0	0
600 – 649	0	0	0	0	0
669 - 059	0	0	0	0	0
700 – 749	0	0	0	0	0
TOTALS	9	1	0	2	0

GROUP POW	AIRCRAFT TYPE	rpe F-4	TYPE	TYPE INJURY Major Upper Ext. Only	pper Ext. Only
	TOTAL	LOWER HANDLE		FACE CURTAIN	IRTAIN
EJECTION SPEED (KIAS)	NUMBER OF EJECTIONS	NUMBER	NUMBER OF INDIVIDUALS INJURED	NUMBER	NUMBER OF INDIVIDUALS INJURED
67 - 0	0	0	0	0	0
66 - 09	0	0	0	0	0
100 – 149	1	0	0	1	0
150 – 199	0	0	0	0	0
200 – 249	LO.	m	0	8	0
250 – 299	2	-	0	-	O
300 - 349	4	ı	0	8	0
360 - 399	2	9	-	-	0
400 449	3	2	L .	-	0
450 - 499	9	2	0	4	0
500 - 549	7	വ	m	8	0
250 - 599	0	0	0	0	0
600 - 649	2	2	1	0	0
669 - 099	0	6	0	0	•
700 – 749	0	0	0	0	0
TOTALS	32	41	9	15	0

1

3

For 691 AW

ť.

JRTAIN	NUMBER OF INDIVIDUALS INJURED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FACE CL	NUMBER USING	0	0	0	0	0	0	1	8	0	ε	8	1	0	0	0	6
ANDLE	NUMBER OF INDIVIDUALS INJURED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER H	NUMBER	0	0	0	1	0	0	0	0	0	0	-	0	0	6	0	2
TOTAL	NUMBER OF EJECTIONS	0	0	0	1	0	0		8	0	3	က	1	0	0	0	11
	EJECTION SPEED (KIAS)	0 – 49	66 - 09	100 – 149	150 – 199	200 – 249	250 – 299	300 – 349	350 – 399	400 – 449	450 – 499	500 – 549	550 — 599	600 - 649	620 - 699	700 – 749	TOTALS
	LOWER HA	KIAS) NUMBER NUMBER OF NUMBER OF INDIVIDUALS USING INJURED USING	KIAS) NUMBER NUMBER OF NUMBER OF INDIVIDUALS USING INJURED USING O 0 0 0	KIAS) NUMBER NUMBER OF NUMBER OF INDIVIDUALS USING INJURED USING 0 0 0 0 0	KIAS) NUMBER OF EJECTIONS LOWER HANDLE INDIVIDUALS INDIVIDUALS INDIVIDUALS FACE CUR 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	KIAS) NUMBER OF EJECTIONS LOWER HANDLE INDINBER OF INDINBER INDIVIDUALS FACE CUR 0 0 0 0 0 0 0 0 0 0 0 0 1 1 0 0	KIAS) NUMBER OF EJECTIONS LOWER HANDLE INDIMBER OF INDIMBER OF INDIVIDUALS FACE CUR 0 0 0 0 0 0 0 0 0 0 0 0 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	KIAS) NUMBER OF EJECTIONS LOWER HANDLE INDIVIDUALS INDIVIDUALS OF EJECTIONS LOWER HANDLE INDIVIDUALS INDIVIDUALS OF EJECTIONS FACE CURTONS 0 0 0 0 0 0 0 0 0 0 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	KIAS) NUMBER OF EJECTIONS LOWER HANDLE INDINBER OF INDINBER OF INDING INJURED FACE CUR 0 0 0 0 0 0 0 0 0 0 0 0 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 1 0 0 0	KIAS) TOTAL NUMBER NUMBER LOWER HANDLE INDIVIDUALS INDIVIDUALS USING INDIVIDUALS FACE CUR NUMBER INDIVIDUALS FACE CUR NUMBER USING 0 0 0 0 0 0 0 0 0 0 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 2 0 0 0 1	KIAS) NUMBER OF EJECTIONS LOWER HANDLE INDIVIDUALS INDIVIDUALS FACE CUR INDIVIDUALS INDIVIDUALS FACE CUR INDIVIDUALS INDIVIDUALS INDIVIDUALS PACE CUR INJURED CORDING O	KIAS) LOWER HANDLE INDIVIDUALS INDIMBER FACE CUR 0 USING INDIVIDUALS INDIMBER 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 1 0 0 2 0 0 0 0 0 0 0 0 3 0 0 3 0 0	KIAS) NUMBER OF EJECTIONS LOWER HANDLE FACE CUR INDIVIDUALS CORING O	KIAS) NUMBER NUMBER INDIVIDUALS USING INDIVIDUALS USING INDIVIDUALS USING INDIVIDUALS USING INDIVIDUALS USING INDIVIDUALS USING 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	KIAS) NUMBER INDIVIDUALS INDIVIDUALS USING INDIVIDUALS INDIVIDUALS USING INDIVIDUALS	KIAS) NUMBER OF EJECTIONS USING INDIVIDUALS USIN	KIAS)

GROUP POW	_ AIRCRAFT TYPE	rpe RA-5C		TYPE INJURY Major Upper Ext. Only	pper Ext. Only
	TOTAL	LOWER HANDLE	IANDLE	FACE CURTAIN	JRTAIN
EJECTION SPEED (KIAS)	NUMBER OF EJECTIONS	NUMBER	NUMBER OF INDIVIDUALS INJURED	NUMBER	NUMBER OF INDIVIDUALS INJURED
0 - 49	0	0	0	0	0
20 - 99	0	0	0	0	0
100 – 149	0	0	0	0	0
150 – 199	0	0	0	0	0
200 – 249	•	0	0	•	0
250 – 299	o	0	0	0	•
300 – 349	0	0	0	0	0
360 - 399	0	0	0	0	0
400 - 449	-	0	0	-	0
450 499	0	0	0	0	0
500 - 549	-	0	0	-	-
20 – 266 260 – 266	-	-	0	0	0
600 – 649	4	1	0	ε	ဇ
669 - 099	0	0	0	0	0
700 – 749	-	1	1	0	0
TOTALS	88	3	ı	9	4

11.

. . . .

SECTION 3


This section utilizes only the POW data to show distribution of major upper-extremity injuries caused by high speed ejection flail. The variables used to categorize the injuries included: was the ejection through the canopy, or was the canopy jettisoned, and what method was used to initiate ejection.

The results, by ejection seat type, for those aircraft in which it was known whether aircrewmen jettisoned or went through the canopy are summarized below:

Major Upper Extremity Flail Injury Rates, by Seat Type (POW only)


	% Major Upper-Ext	remity Flail Injury
Ejection Seat Type	Lower Handle	Face Curtain
Douglas (A-4, A-7)	9.5%	16.6%
Martin Baker (F-4, A-6, F-8)	17.3%	7.3%

DISTRIBUTION OF UPPER EXTREMITY EJECTION BY METHOD USED TO INITIATE EJECTION FLAIL INJURIES DURING SEASIA COMBAT




ζ.

Ŀ



DISTRIBUTION OF UPPER EXTREMITY EJECTION BY METHOD USED TO INITIATE EJECTION FLAIL INJURIES DURING SEASIA COMBAT




-

. .

× ×


Ŕ.

5




ではなる。 第68人となると、 ようとしている。 またいっという。 できたいとしている。 またいっという。

とはいうなが、人のなどのなど、このではなる人は、これではないと



=

ļ



SECTION 4

Section 4 is divided into five parts. The first four parts present ejection injury frequency for specific aircraft by matrixing the injury against anatomical location. Tables are grouped according to type of injury and method of ejection seat initiation.

Part A-Major Ejection Injury and Face Curtain

Part B-Major Flail Injury and Face Curtain

Part C-Major Ejection Injury and Lower Handle

Part D-Major Flail Injury and Lower Handle

THE REPORT OF THE PROPERTY OF

Part E in this section summarizes the injury rates from the four tables. Injury rates, by aircraft type and method of ejection seat initiation, are shown for all major ejection injuries, for major flail injuries, for major upper-extremity flail injuries, and for major lower-extremity flail injuries.

SECTION 4

Part A

Major Ejection Injury Frequency and Locations for Prisoners of War Utilizing the Face Curtain to Initiate Ejection

INJURY LOCATION

	GROUP EJECTION AIRCRAFT	NUMBER (TOTAL NU							
!	T007				-					-
	ree	2	80			-	-	ည		11
	TSIRW		2		-					က
	MAA	4	8	က						15
	2818									
	ЗНОПГ БЕВ	4	1					-		ဖ
	VERT. COL.					2			2	4
	HEAD									
		DISLOCATION	SIMPLE FRACTURE	COMP. FRACTURE	LACERATION	SPRAIN	TORN MUSCLE	TORN LIGAMENT	SPINAL COMP. FRACTURE	TOTAL

INJURY TYPE

.

No.

ion		Face Curtain		72	S INJURED 26	RIES INCURRED 46
INJURY TYPE Major Ejection	GROUP POW	EJECTION HANDLE USED Face Curtain	AIRCRAFT TYPE AII	NUMBER OF EJECTIONS	NUMBER OF INDIVIDUALS INJURED	TOTAL NUMBER OF INJURIES INCURRED 46

INJURY LOCATION

INJURY TYPE Major Ejection		EJECTION HANDLE USED Fac	NUMBER OF INDIVIDUALS IN	TOTAL NUMBER OF INJURIES		_
		LEG	-	4		
	1	RIAW		-		
INJURY LUCATION		MAA	1	က	က	
		2818				
		SHONE	4	-		
-	:OF:	VERT. C				
		DA3H				
			DISLOCATION	SIMPLE FRACTURE	COMP. FRACTURE	LACERATION

24

RIES INCURRED

S INJURED.

20

Face Curtain

INJURY TYPE

SPRAIN

က

თ

വ

TOTAL

SPINAL COMP. FRACTURE

TORN LIGAMENT

TORN MUSCLE

BY AIRCRAFT TYPE AND EJECTION HANDLE USED

INJURY LOCATION

NJURY Y	GROUP EJECTIC	NUMBER	TOTAL							
	FOOT									
	ГЕС	1		2			-			4
	TSIAW		ļ		1					2
	MAA	2	2	1						4
	Sair									
	SHOULDER									
	УЕВТ. СОГ.								-	-
	DASH									
		DISLOCATION	SIMPLE FRACTURE	COMP. FRACTURE	LACERATION	SPRAIN	TORN MUSCLE	TORN LIGAMENT	SPINAL COMP. FRACTURE	TOTAL

INJURY TYPE

no		Face Curtain		15	INJURED 8	IES INCURRED 11
INJURY TYPE Major Ejection	GROUP	EJECTION HANDLE USED Face Curtain	AIRCRAFT TYPE A-6	NUMBER OF EJECTIONS	NUMBER OF INDIVIDUALS INJURED	TOTAL NUMBER OF INJURIES INCURRED 11

HEAD VERT. COL. SHOULDER	HEAD VERT. COL.	HEAD VERT. COL.	MAA TEND T	NERT. COL. SHOULDER RIBS RIBS RIBS RIBS RIBS
VERT. COL.	VERT. COL.	VERT. COL.	NERT. COL. SHOULDER RIBS RAM ARM WRIST WRIST	SERT. COL. SHOULDER RIBS RAM ARM WRIST WRIST
SHOULDER	SHOULDER SHIBS	RIBS SHOULDER MAA		
	Sair	Sair Mra		

INJURY TYPE

Secretary processes the processes to the processes and processes to the pr

INJURY LOCATION

DA3H	VERT. COL.	VERT. COL.	VERT. COL.	VERT. COL.	SECTION OF THE SECTIO	•		DISLOCATION	SIMPLE FRACTURE	COMP. FRACTURE	LACERATION	SPRAIN	TORN MUSCLE	TORN LIGAMENT	SPINAL COMP. FRACTURE	TOTAL
	VERT. COL.	SHOULDER SHOULDER	SHOULDER RIBS	SHIBS RIBS COL. SHIBS CALL SHIBS CALL ARM ARM	RESIDENCE SAIR SAIR STANDS SAIR SAIR SAIR SAIR SAIR SAIR SAIR SAI		DA3H							-		
RIBA SAIR SAIR SAIR SAIR SAIR SAIR SAIR SAI	- LEG	- LEG	- LEG			INJURY TYPE Major Ejection		NUMBER OF INDIVIDUALS INJ	TOTAL NUMBER OF INJURIES			,		*****		

INJURY TYPE

NUMBER OF INJURIES INCURRED

R OF INDIVIDUALS INJURED

Face Curtain

3

.

· . .

ļ

INJURY TYPE. GROUP FOOT ree 8 INJURY LOCATION TSIAW MAA. RIBS SHOULDER VERT. COL. **QA3H** SPINAL COMP. FRACTURE SIMPLE FRACTURE COMP. FRACTURE TORN LIGAMENT TORN MUSCLE DISLOCATION LACERATION SPRAIN TOTAL

GROUP

EJECTION HANDLE USED

AIRCRAFT TYPE

NUMBER OF EJECTIONS

TOTAL NUMBER OF INJURIES INCURRED

INJURY LOCATION

Major Ejection

GROUP EJECTION HAN	NUMBER OF IT	TOTAL NUMBE							
T007									
LEG									
TZIAW									
MAA	1	က							4
Sair						_			
SHOULDER							-		-
VERT. COL.					-				-
DASH	:								
	DISLOCATION	SIMPLE FRACTURE	COMP. FRACTURE	LACERATION	SPRAIN	TORN MUSCLE	TORN LIGAMENT	SPINAL COMP. FRACTURE	TOTAL

INJURY TYPE

7

7 × ×

GROUP FOW

EJECTION HANDLE USED Face Curtain
AIRCRAFT TYPE RA-5C

NUMBER OF EJECTIONS 5

NUMBER OF INDIVIDUALS INJURED 4

TOTAL NUMBER OF INJURIES INCURRED

SECTION 4

Part B

Major Flail Injury Frequency and Locations for Prisoners of War Utilizing the Face Curtain to Initiate Ejection

INJURY LOCATION

	DA3H	VERT. COL.	SHOULDER	2818	MAA	TSIAW	LEG	FOOT
DISLOCATION			4		3		1	
SIMPLE FRACTURE			-		8	-	ည	
COMP. FRACTURE					က			
LACERATION								
SPRAIN		-					1	
TORN MUSCLE								
TORN LIGAMENT			-				4	
SPINAL COMP. FRACTURE								
тотац		-	9		4	-	=	

3

-

		Face Curtain		72	INJURED 16	TOTAL NUMBER OF INJURIES INCURRED 33
Major Flail	POW	NDLE USED	PE All	JECTIONS	NDIVIDUALS	ER OF INJUR
INJURY TYPE	GROUP	EJECTION HANDLE USED	AIRCRAFT TYPE	NUMBER OF EJECTIONS	NUMBER OF INDIVIDUALS INJURED	TOTAL NUMBE

INJURY TYPE

1

يزن

1

S	
ATI	
, 100	
URY	
Z	

INJURY TYPE	GROUP EJECTION HA AIRCRAFT TA	NUMBER OF	TOTAL NUMB							
	FOOT									
	ree	-	က			-		က		&
INJURY LOCATION	TSIAW		-							-
X 20	MAA	-	က	က						7
1 L	2818									
	SHOULDER	4	1							2
-	VERT. COL.									
	DABH									
		DISLOCATION	SIMPLE FRACTURE	COMP. FRACTURE	LACERATION	SPRAIN	TORN MUSCLE	TORN LIGAMENT	SPINAL COMP. FRACTURE	TOTAL
					7.11	T YAI	CALL			-

EJECTION INJURY FREQUENCY BY AIRCRAFT TYPE AND EJECTION HANDLE USED

INJURY LOCATION

	DISLOCATION	SIMPLE FRACTURE	COMP. FRACTURE	LACERATION	SPRAIN	TORN MUSCLE	TORN LIGAMENT	SPINAL COMP. FRACTURE	TOTAL
DA3H									
ERT. COL.	^							-	
HOULDER	s								
Sala									
MAA	-	2							က
TSIRW									
LEG		2							7
F007									

INJURY TYPE

5

lail		Face Curtain	15	INJURED 3	ES INCURRED 5
INJURY TYPE Major Flail	GROUP POW	ON HANDLI	2	NIMBER OF INDIVIDUALS INJURED	TOTAL NUMBER OF INJURIES INCURRED

Major Flail

INJURY LOCATION

HEAD HEAD WRIST WRIST	SHOULDER RIBS RIBS RIBS
SHOULDER SHOULDER MAA	RIBS SHOULDER MAA TSIAW
28IR MRA	ZBIR MRA TSIRW
MAA	MAA TZIAW
·	TSIAW
T003	

INJURY TYPE

Face Curtain

Major Flail

8 ⊗

TOTAL NUMBER OF INJURIES INCURRED 0 NUMBER OF INDIVIDUALS INJURED __ **EJECTION HANDLE USED** NUMBER OF EJECTIONS AIRCRAFT TYPE . INJURY TYPE GROUP **T00**1 ree INJURY LOCATION TSIAW MAA None RIBS SHOULDER VERT. COL. **GA3H** SPINAL COMP. FRACTURE SIMPLE FRACTURE COMP. FRACTURE TORN LIGAMENT TORN MUSCLE DISLOCATION LACERATION SPRAIN TOTAL


34YT YAULNI


AND PARTIES OF THE SECOND SECO

.

ながら 28世

である。





MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS 1963 A

5330 W 555

Face Curtain

Major Flail

INJURY LOCATION

<u>8</u>0×

TOTAL NUMBER OF INJURIES INCURRED NUMBER OF INDIVIDUALS INJURED **EJECTION HANDLE USED** NUMBER OF EJECTIONS AIRCRAFT TYPE __ INJURY TYPE GROUP FOOT ree TSIRW None MAA 2818 **ЗНОПГ**РЕВ VERT. COL. **GA3H** SPINAL COMP. FRACTURE SIMPLE FRACTURE COMP. FRACTURE TORN LIGAMENT TORN MUSCLE DISLOCATION LACERATION SPRAIN TOTAL

SHAT YRULNI

Face Curtain

E USED

Major Flail

POW

OF INJURIES INCURRED

VIDUALS INJURED

SNOIL

		DISLOCATION	SIMPLE FRACTURE	COMP. FRACTURE	LACERATION		TORN MUSCLE	TORN LIGAMENT	SPINAL COMP. FRACTURE	
	HEAD									
= [-	VERT. CO					1				-
P. P.	SHONFDE							-		-
7 2	SBIA									
INJURY LOCATION	MAA	-	က						-	4
8	TZIAW									
	רבפ									
	F00T									

INJURY TYPE

 $\tilde{\zeta}$

3

1

×.

SECTION 4

Part C

Major Ejection Injury Frequency and Locations for Prisoners of War Utilizing the Lower Handle to Initiate Ejection

SEAST DEDDRIVER PROPERTY VALLACIONS MESSEDEN CONSTRU

9	
4	S
C	3
è	ř
۱	-
•	3
¢	3
Ċ	3
_	1
Ī	
7	-
٥	C
Ξ	ŝ
2	2
Ξ	ě
3	ζ
-	-

<u> </u>	HEAD	RT. COL.	OULDER	PIBS SAIR MAA TSIRM	MAA	_	LEG	T007
	-+				\longrightarrow	\rightarrow	十	,
			4		က		2	
SIMPLE FRACTURE			-		9			
COMP. FRACTURE					2			
					<u> </u>			
	-							
TORN LIGAMENT								
SPINAL COMP. FRACTURE		6				-		

34

NUMBER OF INJURIES INCURRED

OF INDIVIDUALS INJURED

Lower

Major Ejection

The second

でいく

•

.

1000

=

ស

2

TOTAL

INJURY TYPE

9

E

Girls.

1

INJURY LOCATION

INJURY TYPE Major Ejection	GROUP	EJECTION HANDLE USED Lower	AIRCRAFT TYPE A-4	NUMBER OF EJECTIONS 20	NUMBER OF INDIVIDUALS INJURED 8	TOTAL NUMBER OF INJURIES INCURRED
		ТО(O4			
		93	דו		က	-
		TSI	ЯW			
LOCATION		M۶	IA			2
-						$\overline{}$

2818

ЗНОПГДЕВ

VERT. COL.

DA3H

က

8

COMP. FRACTURE			
LACERATION			
SPRAIN			
TORN MUSCLE			
TORN LIGAMENT			
SPINAL COMP. FRACTURE	8		
TOTAL	8	4	2

INJURY TYPE

4

SIMPLE FRACTURE

DISLOCATION

DISLOCATION SIMPLE FRACTURE COMP. FRACTURE LACERATION SPRAIN SPRAIN TORN LIGAMENT SPINAL COMP. FRACTURE TOTAL	NEAD WENT WRIST MAIST MAIST MAIST WATO WA	NEAD. COL. SHOULDER RIBS RIBS RIBS RIBS RIBS RIBS RIBS RIB
NEG VERT. COL. SHIBS RIBS RIBS RIBS SECOND SHIPS SECOND S	RACIOCHS REGIONS REGIO	ABIR SAIN SAIN SAIN SAIN SAIN SAIN SAIN SAIN
SBIBS SHOULDER SHOULDER		ΓΕΘ
Sain Ann Sain Sain Sain Sain Sain Sain Sain Sa		ΓΕΘ
MAA		ΓΕΘ
		ΓΕΘ

34YT YAULNI

2

Ĭ,

×

٤

-

HEAD		HEAD	HEAD	HEAD	HEAD	HEAD ABM ABM ABM ABM ABM ABM ABM A			DISLOCATION	SIMPLE FRACTURE	COMP. FRACTURE	LACERATION	SPRAIN	TORN MUSCLE	TORN LIGAMENT	SPINAL COMP. FRACTURE	TOTAL	
						RIBA MAA TSIRW TSIRW		HEAD								ш		ĺ
	937	937	937	937	T007		INJURY TYPE Major Ejection	GROUP POW EJECTION HANDLE USED Lower AIRCRAFT TYPE A-7	NUMBER OF INDIVIDUALS INJURED	TOTAL NUMBER OF INJURIES INCUR								

INJURY TYPE

ER OF INJURIES INCURRED

		-	S	3Y L	INJURY LOCATION	NO I	_	
	DA3H	VERT. COL.	SHOULDER	RIBS	MAA	TZIAW	LEG	T003
DISLOCATION					3		2	
SIMPLE FRACTURE					2	1		
COMP. FRACTURE					2			
LACERATION								
MINGOS		•						

TOTAL NUMBER OF INJURIES INCURRED 12

NUMBER OF INDIVIDUALS INJURED

AIRCRAFT TYPE F4

Lower

EJECTION HANDLE USED

Major Ejection

INJURY TYPE

Po¥

GROUP

COMP. FRACTURE

LACERATION

SPRAIN

TORN MUSCLE

TORN LIGAMENT

SPINAL COMP. FRACTURE

TOTAL

TOTAL

3

•

. ...

が、 **東**の一次で、 変化

.

Lower

TOTAL NUMBER OF INJURIES INCURRED NUMBER OF INDIVIDUALS INJURED Major Ejection **EJECTION HANDLE USED** NUMBER OF EJECTIONS POW AIRCRAFT TYPE __ INJURY TYPE GROUP **F001** reg INJURY LOCATION TSIAW MAA None 2818 SHOULDER VERT. COL. **GA3H** SPINAL COMP. FRACTURE SIMPLE FRACTURE COMP. FRACTURE TORN LIGAMENT TORN MUSCLE DISLOCATION LACERATION SPRAIN TOTAL

INJURY TYPE

INJURY TYPE Major Eje		NUMBER OF INDIVIDUALS	TOTAL NUMBER OF INJUR							
	F007									
_	LEG									
INJURY LOCATION	TSIAW									
OCA CA	MAA		7							2
% L	รลเส									
NJOE	SHONFDER	1								-
-	VERT. COL.									
	DASH									
		DISLOCATION	SIMPLE FRACTURE	COMP. FRACTURE	LACERATION	SPRAIN	TORN MUSCLE	TORN LIGAMENT	SPINAL COMP. FRACTURE	TOTAL

34YT YRULNI

SIES INCURRED

SINJURED

Lower

7

.

SECTION 4

Part D

Major Flail Injury Frequency and Location for Prisoners of War Utilizing the Lower Handle to Initiate Ejection

CARA TARRASAN COCARAN AND COCARAN CARA

		DISLOCATION	SIMPLE FRACTURE	COMP. FRACTURE	LACERATION	SPRAIN	TORN MUSCLE	TORN LIGAMENT	SPINAL COMP. FRACTURE	TOTAL
	DASH									
=	VERT. COL.									
INJURY LOCATION	ЗНОПГ	е	-							4
\ \	Sala									
S	MAA	6	4	-						∞
<u>Z</u>	TSIAW									
	LEG	2	-					-		7
INJURY TYPE	NDLE	NUMBER OF INDIVIDUALS INJURED	TOTAL NUMBER OF		·					
Major Flail	USED Lower All 50	UALS INJURED 9	TOTAL NUMBER OF INJURIES INCURRED							

INJURY TYPE

19

.

_

200 CO CO CO CO CO CO

JAYT YAULNI

25.45.55 A.C.C.

consisted the contraction of the

HEAD VERT. COL.	VERT. COL.	VERT. COL.	VERT. COL.	NERT. COL. RIBS RIBS RIBS NO. NERT. COL. ARM NERT. COL.					DISLOCATION	SIMPLE FRACTURE	COMP. FRACTURE	ACERATION	SPRAIN	TORN MUSCLE	TORN LIGAMENT	SPINAL COMP. FRACTURE	TOTAL
AERT. COL.	SHOULDER SHOULDER	SAIBS SIBS	NEAT. COL. SAIBS RIBS NO. ARM ARM NO.	RADJUOHS RABIR NOR TRIBM		(HEAD										
	SHOULDER	SBIR SHOULDER	RIBS SHOULDER NAMA		=	COL.	TA3	۸۱									
None of the second seco	רבפ	רבפ	┣ ╌╸╌┈┫╌ ┼ ┈┼┈┼┈┼┈┼┈┼┈ ┼ ┈ ┼		INJURY TYPE Major Flail	GROUP POW	EJECTION HANDLE USED Lower AIRCRAFT TYPE		LS INJUR	TOTAL NUMBER OF INJURIES INCURRE							

INJURY TYPE

3

\ :

į

OTAL NUMBER OF INJURIES INCURRED None

None

H

DEAD	VERT. COL.	VERT. COL.	VERT. COL.	VERT. COL.	Sala RIBS	VERT. COL.	Non Tribution of the Principle of the Pr
	VERT. COL.	SHOULDER SHOULDER	Sala RIBS	Non Sept. COL.	Non-Trans (Non-Trans) REALINORS REALIN	REG SAIR SHOULDER TELE STATE OF THE SAIR SAIR SAIR SAIR SAIR SAIR SAIR SAIR	

INJURY TYPE

ES INCURRED

INJURY LOCATION

especies especies appeared appeared appeared

INJURY TYPE	MAA TSIAW DELEG TOOA	3 2 NUMBER OF INDIVIDUALS INJURED	1 TOTAL NUMBER OF INJURIES INCURRED	-				1		5 3
	HEAD SHOULDER									
		DISLOCATION	SIMPLE FRACTURE	COMP. FRACTURE	LACERATION	SPRAIN	TORN MUSCLE	TORN LIGAMENT	SPINAL COMP. FRACTURE	TOTAL

INJURY TYPE

3

EN 503 600

No.

CONTRACTOR OF THE PARTY OF THE

INJURY LOCATION

Major Flail

HEAD WERT. COL. SHOULDER RIBS	Se Sept. COL.	S S S S S S S S S S S S S S S S S S S			DISLOCATION	SIMPLE FRACTURE	COMP. FRACTURE	LACERATION	SPRAIN	TORN MUSCLE	TORN LIGAMENT	SPINAL COMP. FRACTURE	TOTAL
Sala SHOULDER	RIBS SHOULDER	Sair Shoulder Triam Shoulder Triam Shoulder Triam Shoulder Shoulde		HEAD									
Sala	Saira NAA	ZBIR PO PE		VERT. COL.									
	MAA	TSIAW TSIAW											Z
		TSIAW											one
LEG FOOT			INJURY TYPE Major Fiall	GROUP POW EJECTION HANDLE USED Lower AIRCRAFT TYPE F-8 ALLIANDED OF FIRSTIONS 3	LS INJ	TOTAL NUMBER OF INJURIES INCURRED							

INJURY TYPE

TOTAL NUMBER OF INJURIES INCURRED Lower NUMBER OF INDIVIDUALS INJURED Major Flail § § **EJECTION HANDLE USED** NUMBER OF EJECTIONS AIRCRAFT TYPE INJURY TYPE GROUP **F001** reg INJURY LOCATION TSIAW MAA 2818 SHOULDER VERT. COL. HEAD SIMPLE FRACTURE COMP. FRACTURE DISLOCATION LACERATION •

ξ.

SPINAL COMP. FRACTURE

TOTAL

TORN LIGAMENT

TORN MUSCLE

SPRAIN

INJURY TYPE

SECTION 4

Part E

Summaries of Major Ejection and Flail Injury Rates by Aircraft Type and Method of Ejection Seat Initiation

INJURY TYPE (COLUMNS: C AND F) Major Ejection

GROUP POW

		٦	LOWER HANDLE			FACE CURTAIN	
	٧.	8	ວ	D = C/B	3	u	G = F/E
AIRCRAFT TYPE	MEAN EJECTION SPEED*	# EJECTING USING LOWER HANDLE	TOTAL # OF INJURY TYPE IN GROUP B	INJURY RATE	# EJECTING USING FACE CURTAIN	TOTAL # OF INJURY TYPE IN GROUP E	INJURY RATE
A4	378	20	18	%06	20	24	120%
A-6	408	0	0	S. A.	15	=	73%
A-7	337	-	-	100%	വ	-	20%
7	403	21	12	82%	16	-	%
89	420	m	0	8	11	က	27%
RA-6C	288	ß	м	%09	S	9	120%
			-				

^{*}Mean ejection speed for all aircraft type in group.

100 B

100 000 C

INJURY TYPE (COLUMNS: C AND F) Major Flail

GROUP _

S S

		, , , , , , , , , , , , , , , , , , ,	LOWER HANDLE	E		FACE CURTAIN	
	*A	8	3	D = C/B	ш	ш	G = F/E
AIRCRAFT TYPE	MEAN EJECTION SPEED*	# EJECTING USING LOWER HANDLE	TOTAL # OF INJURY TYPE IN GROUP B	INJURY RATE	# EJECTING USING FACE CURTAIN	TOTAL # OF INJURY TYPE IN GROUP E	INJURY RATE
A4	378	20	6	45%	20	21	105%
A-6	408	0	0	N.A.	15	ß	33%
A-7	337	-	0	%0	വ	-	20%
F.4	403	21	ω	38%	16	0	%
8.	420	ю	0	%0	Ξ	0	%0
RA-5C	288	ស	2	40%	ស	ဖ	120%

^{*}Mean ejection speed for all aircraft type in group.

INJURY TYPE (COLUMNS: C AND F) Major Upper Ext. Flail

GROUP POW

			LOWER HANDLE	ш		FACE CURTAIN	
	Α.	8	3	D = C/B	E	ıL	G = F/E
AIRCRAFT TYPE	MEAN EJECTION SPEED*	# EJECTING USING LOWER HANDLE	TOTAL # OF INJURY TYPE IN GROUP B	INJURY RATE	# EJECTING USING FACE CURTAIN	TOTAL # OF INJURY TYPE IN GROUP E	INJURY RATE
A.4	378	20	4	20%	20	13	65%
A-6	408	0	¥ Z	¥ Z	15	ო	20%
A-7	337	-	0	%0	ري م	0	%0
4	403	21	ĸ	24%	16	0	%
8	450	ო	0	%0	-	0	%0
RA-5C	288	ဌ	2	40%	ഹ	ß	100%

^{*}Mean ejection speed for all aircraft type in group.

<u>د</u> ا

. . .

2

43

INJURY TYPE (COLUMNS: C AND F) Major Lower Ext. Flail

GROUP POW

			LOWER HANDLE			FACE CURTAIN	
	• ¥	8	ວ	D = C/B	ш	u.	G = F/E
AIRCRAFT TYPE	MEAN EJECTION SPEED*	# EJECTING USING LOWER HANDLE	TOTAL # OF INJURY TYPE IN GROUP B	INJURY RATE	# EJECTING USING FACE CURTAIN	TOTAL # OF INJURY TYPE IN GROUP E	INJURY RATE
A4	378	20	4	20%	20	8	40%
A-6	408	0	N.A.	Š.	15	2	13%
A-7	337	-	0	%	മ	-	20%
4	403	21	ო	14%	16	0	%0
8	420	က	0	%0	1	0	%
RA-5C	288	ည	0	8	ഗ	0	%
			,				

^{*}Mean ejection speed for all aircraft type in group.

100

מנננ